



Date: 30.11.2023

To,
The Director
Northern Regional Office (MoEF),
Bays No. 24 -25, Sector- 31-A,
Dakshin Marg, Chandigarh,
Haryana - 160030

Subject: Submission of half yearly environment compliance report for IT/ Information Technology Enabled Services (SEZ) project at Village- Gwal Pahari in Tehsil Wazirabad, District- Gurgram, Haryana by M/s ASF Insignia SEZ Pvt. Ltd.

Reference No: SEIAA/HR/2014/331 Dated: 21/02/2014; and amendment thereto vide a letter No. SEIAA/HR/2019/201 dated 22.07.2019 and SEIAA(125)/HR/2021/254 Dated 04.03.2021 and Extension of validity of EC vide memo No. SEIAA/HR/2021/465 Dated 11.05.2021).

Dear Sir,

This is with reference to the above captioned subject; Six monthly compliance report for the period; **April 2022 – September 2023** on the status of compliance stipulated in the EC condition as mentioned in *Para – II, Part-B* of general condition of SEIAA letter quoted above (attached as an *Annexure I* for your ready reference) is appended herein along with Lab Monitoring reports and necessary annexures.

Thanking you,

For ASF INSIGNIA SEZ PVT. LTD.

Authorised Signatory

Encl: As above

CC:

1. Haryana State Pollution Control Board, C-11 Sec-6, Panchkula, Haryana.
2. SEIAA, Haryana Bays No. 55 - 58, Parytan Bhawan, 1st floor, Sector - 2, Panchkula, Haryana.
3. Regional Officer Gurgaon (North) Haryana State Pollution Control Board, Vikas Sadan, 1st floor Near DC Court Gurgaon, Pin code - 122001

ASF INSIGNIA SEZ PRIVATE LIMITED

Site Office : ASF Insignia SEZ (IT/ITES), Vatsal Valley (Gwal Pahari), off Gurugram-Faridebad Road, Gurugram-122003, Haryana

t: +91 124 4777200 f: +91 124 4234110 e: corporate@asfinfrstructure.com w: www.asfinfrstructure.com

Regd. Office : 11, Baber Lane, Bengali Market, New Delhi-110001 t: +91 11 23355511 f: +91 1123739298

Corp. Office : ASF Centre, 362-363, Udyog Vihar, Phase-IV, Gurugram-122016 (India)

CIN U45201DL2005PTC140408

Creating Intelligent Spaces®

HALF YEARLY ENVIRONMENT COMPLIANCE REPORT

FOR

IT/ITES SEZ PROJECT “ASF INSIGNIA”

LOCATED AT

**Village Gwal Pahari, Tehsil Wazirabad,
District- Gurugram (Haryana)**

Period: April 2023 – September 2023

BY

M/S ASF INSIGNIA SEZ PVT.LTD.

For ASF Insignia SEZ Pvt. Ltd.


Authorised Signatory

LIST OF ANNEXURES

S. No	Particulates	Annexure
1.	Environment Clearance Letter Nos <i>SEIAA/HR/2014/331 DATED 21.02.2014,(to be read with amendments granted vide memo nos. SEIAA/HR/2019/201 DATED 22.07.2019 and SEIAA (125)/HR/2021/254 Dated 04.03.2021).</i>	I
2.	Photograph of first aid room	II
3.	Form IV	III
4.	Diesel bills	IV
5.	DG Stack and Noise test report	V
6.	Ambient air test report	VI
7.	Photograph of RWH Pits	VII
8.	Photograph of Fire equipment	VIII
9.	Photograph of Fire Control Room	IX
10.	CTO of B2	X
11.	CTO of B3	XI
12.	CTO of Housing /Residential	XII
13.	STP Test Report	XIII
14.	Borewell outlet	XIV
15.	Form V	XV
16.	Photograph of sanitation facilities	XVI
17.	Photograph of AAC Blocks	XVII
18.	Audit report attached	XVIII

For ASF Insignia SEZ Pvt. Ltd.


Authorised Signatory

BRIEF DESCRIPTION OF THE PROJECT

The Environmental Clearance for the project was accorded by the SEIAA, Haryana vide letter no. *SEIAA/HR/2014/331 Dated 21.02.2014 (to be read with amendments granted vide memo nos. SEIAA/HR/2019/201 Dated 22.07.2019 and SEIAA (125)/HR/2021/254 Dated 04.03.2021)*. The project is partially under operation phase and partially under construction/ development // phase.

OVERALL PROJECT

The IT/ITES – Special Economic Zone (SEZ) project is being developed by M/s ASF Insignia SEZ Pvt. Ltd. located in the Village- Gwal Pahari in Tehsil Wazirabad , District- Gurugram, Haryana on a land admeasuring 47.698 acre (1,92,994.58m²). The proposed project will consist of Processing Zone and Non-Processing zone having IT/ITES buildings B1, B2 and B3, Residential apartments, Commercial office, amenity spaces, Shopping spaces and Training Centre etc.

As the project will be completed and operationalized in stage wise manner, therefore the half yearly environment compliance report is prepared for both Construction/development/ and Operation phases. The key parameters of Environmental Clearance and it's amendments vide memos SEIAA/HR/2014/331 dated 21/02/2014 ,SEIAA/HR/2019/201 DATED 22.07.2019 & SEIAA(125)/HR/2021/254 Dated 04.03.2021 are as below

1. The total proposed built up area of the project is 7,92,209.65 m²
2. The total envisaged water requirement of the project is 2679 KLD which includes both fresh and treated water.
3. The total envisaged fresh water requirement of the project is 988.8 KLD.
4. The total envisaged waste water generation is 1901.56 KLD
5. The total STP capacity of the project is 2300 KLD
6. The proposed green belt development to be 35.15 % of the project area.
7. The total envisaged solid waste generation will be 8.3 TPD.
8. Total 40 numbers of Rain water harvesting pits for the project area are proposed for recharging the ground water level.
9. The total power requirement for the project will be 35 MVA approximately.
10. The source of the water supply during operation phase will be through the CGWA approved bore wells and HUDA water as and when provided
11. The construction/ development work to be undertaken with the treated water of the STPs.
12. The total proposed parking spaces are 10100 ECS.

PART UNDER OPERATION PHASE

The IT/ITES Buildings (B2 & B3), Amenity Podium Building, Facility Management (BMS) Building and Energy Centre Building in Processing Zone and Residential Building (Tower A, B & C) and Club House in Non Processing Zone are under operation for which the necessary approvals from various authorities had already been obtained and the details of the key parameters are as under:

1. The total built up area of the Buildings under operation phase is approx. 3.59 Lacs Sq. Mtrs.
2. The green area comprising green belt, grass, peripheral green, developed is 20679 sq.m
3. The total envisaged water requirement of the operational phase of the project is 775 KLD.
 1. The fresh water requirement is 308.84 KLD.
 2. The waste water generated is 433.82 KLD.
 3. Total solid waste generation is 1.18 TPD. The source of the water supply is through CGWA for which approval has already been obtained; however, the proposed HUDA water is not available till date and once the HUDA water is available these bore wells shall be used for the standby or to meet the deficit.
 4. The waste water is being treated in the STP of 465 KLD installed for Building B2 and STP of 530 KLD installed for Building B3, the waste water is being treated in the STPs and the treated water is being used for the construction/ development, flushing, HVAC, Anti smog gun and landscape work of the project.
 5. So far, 21 Nos of Rain water harvesting pits have been made for recharging the ground water and are operational.
 6. The available power connection from DHVBN till date is 4800 KW for the operation and 500 KVA for the construction/ development phase
 7. The total parking provided is 1718 ECS

PART OF THE PROJECT UNDER DEVELOPMENT/ CONSTRUCTION PHASE

The IT/ITES Buildings (B1), Amenity Podium Building, and 66 KV Sub Station Building in Processing Zone and Residential Buildings, Commercial / Retail Buildings, Training Centre Building, Energy Centre Building and other Amenities Building etc in Non-Processing Zone are under development / construction phase. Proposed Built-up area for buildings under development / construction phase is approx. 4.33 Lacs Sq. Mtrs. Details of the key parameters are as under:

- The balance fresh water requirement of the project will be about 713.4 KLD. The balance solid waste generation will be about 7.14 TPD.

ASF Insignia SEZ Pvt. Ltd.

IT/Information Technology Enable Services (SEZ) project

Village- Gwal Pahari, Tehsil Wazirabad, District- Gurugram (Haryana)

COMPLIANCE REPORT

- The source of the water supply during operation phase will be through the CGWA approved bore wells and HUDA water (HUDA water connection is yet to be provided by Authorities).
- The construction/ development work is being done with the treated water of the STPs.
- Another 19 nos. of Rain water harvesting pits are proposed for recharging the ground water level.
- The parking requirement as per the Haryana bye laws and as per MoEFCC is 8382 ECS.

ASF Insignia SEZ Pvt. Ltd.


Authorised Signatory

Conditions of Environment Clearance No. SEIAA/HR/2014/331 dtd 21.02.2014 (to be read with amendments granted vide memo nos. SEIAA/HR/2019/201 DATED 22.07.2019 read with SEIAA (125)/HR/2021/254 Dated 04.03.2021).	Compliance Status
PART – A	
[1]	<p>“Consent To Establish” shall be obtained from Haryana State Pollution Control Board under air and water act and a copy shall be submitted to the SEIAA, Haryana before the start of any construction work at site.</p> <p>Complied. The Consent To Establish for the Existing IT/ITES project had been obtained vide letter no. HSPCB/TAC/2011/663 dated 07.03.2011 from Haryana State Pollution Control Board which was submitted to SEIAA, Haryana.</p> <p>The Consent to Establish no. HSPCB/Consent/:2808615GUNOCTE1390645 dated 27.02.2015 was obtained.</p> <p>The Consent To Establish for the Expansion Phase had been obtained vide letter no. HSPCB/Consent/: 320303318GUNOCTE5008171 dated 07.03.2018 valid up to 20.02.2021</p> <p>The Consent To Establish for the Project obtained vide letter no. HSPCB/Consent/: 320303321GUNOCTE12599143 dated 23.06.2021 valid up to 20.02.2024</p>
[2]	<p>A first aid room will be provided in the project both during construction and operation of the project.</p> <p>Complied. First Aid Facilities are attached as an Annexure II</p>

For ASF Insignia SEZ Pvt. Ltd.



Authorised Signatory

[3]	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.	<p>Complied.</p> <p>Drinking water, sanitary facilities, mobile toilets are provided for the construction workers at the site. No open defecation is being allowed. Safe disposal of waste water and solid waste is being ensured.</p>
[4]	All the topsoil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.	<p>Ensured</p>
[5]	The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect in the neighbouring communities and should be disposed of after taking necessary precautions for general health and safety aspects of people, only in approved sites with the approval of competent authority.	<p>Complied.</p> <p>Building material is properly stored at the designated areas of the site and construction waste / Debris is mainly used in the internal fillings and surplus disposed-off at the approved sites of MCG</p>
[6]	Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such materials must be secured so that they should not leach into the ground water and any Hazardous waste generated during the construction phase, should be disposed as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board	<p>Complied.</p>

For ASF Insignia SEZ Pvt. Ltd.


 Authorised Signatory

[7]	The diesel generator set to be used during construction phase should be of ultra-low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emissions standards.	Complied. Receipts of diesel bills attached as per Annexure –IV
[8]	The Diesel required for operating DG set shall be stored in underground tanks and if required, clearance from chief controller of Explosive shall be taken.	Complied. We have construction power sanctioned from DHVBN. For DG sets provided for construction phase, diesel is stored in 200 Ltrs drums
[9]	Ambient noise level should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards.	Complied. Ambient air monitoring report for the month of June 2023 is enclosed ref. Annexure – VI
[10]	Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September, 1999 and amended as on 27 th August, 2003.	Complied AAC Blocks having fly ash content of about 50 to 70% are being used for block works
[11]	Storm water control and its reuse as per CGWB and BIS standards for various applications should be ensured	Ensured. For complete project, 40 nos of RWH pits are envisaged. Out of which 21 nos of RWH pits are operational. Photographs of RWH Pits are attached in Annexure – VII
[12]	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	Complied.
[13]	In view of the several constraints in water supply augmentation in the region and sustainability of water resources, the developer will submit the NOC from CGWA specifying water extraction quantities and assurance from HUDA/ utility	Complied. Fresh water requirement is being met through ground water for which NOC from CGWA had been obtained. For Construction activities, treated water from in house STP is available. In addition, surplus treated water if required is being provided from nearby CSTP for which assurance from HUDA has

	Chandigarh	
[18]	The project proponent as stated in the proposal shall construct 40 rain water harvesting pits for recharging the ground water within the project premises. RWH pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pit. Maintenance budget and persons responsible for Maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.	Complied. 21 Nos of RWH pits has been designed and constructed in accordance with the approved plans.
[19]	The project proponent shall provide for adequate fire safety measure and equipment's as required by Haryana Fire Service Act, 2009 and instructions issued by the local Authority Directorate of fire from time to time. Further the project proponent shall take necessary permission regarding fire safety scheme/NOC form competent Authority as required.	Complied. Adequate fire safety measure and equipment's are provided as per the provision of Haryana Fire Service Act, 2009 and relevant norms. Necessary Fire NOC is being taken.
[20]	The project proponent shall obtain assurance from the DHBVN for supply of 40 MVA of power supply before the start of construction. In no case project will be operational solely on generators without any power supply from any external power utility.	Complied.
[21]	Detail calculation of power load and ultimate power load of the project shall be submitted to DHBVN under intimation to SEIAA Haryana before the start of construction. Provisions shall be made for electrical	Complied.

ASF Insignia SEZ Pvt. Ltd.



 Authorized Signatory

	infrastructure in the project area.	
[22]	The project proponent shall not raise any construction in the natural land depression/Nallah/water course and shall ensure that the natural follow from the Nallah/water course is not obstructed.	Noted
[23]	The project proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the project as per prescribed by laws. Levels of the other areas in the projects shall also be kept suitably so as to avoid flooding.	Complied.
[24]	Construction shall be carried out so that density of population does not exceed norms approved by Director General Town and Country Department Haryana.	Complied. All Building plans are being approved by The Unit Approval Committee Chaired by Development Commissioner, NSEZ, Noida in consultation with Town and Country Department Haryana..
[25]	The project proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction	Complied. Affidavit copy of the same had been provided earlier.
[26]	The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.	Complied
[27]	The project proponent shall ensure that EBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.	Complied.

For ASF Insignia SEZ Pvt. Ltd.



Authorised Signatory

[28]	The project proponent shall provide 3 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.	Complied. Every listed measure and any further guidelines released on dust and air pollution controls applicable to construction activities are being adhered. Deployed Anti-smog gun immediately after the guidelines by HSPCB were issued.
[29]	The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.	Complied
[30]	The project proponent shall provide proper Rasta of proper width and proper strength for each project before the start of construction.	Complied
[31]	The project proponent shall ensure that the U-value of the glass is less than 3.177 and Maximum solar heat gain coefficient is 0.25 for vertical fenestration.	Noted
[32]	The project proponent shall adequately control construction dusts like silica dust, non-silica dust, and wood dust. Such dusts shall not spread outside project premises project Proponent shall provide respiratory protective equipment to all construction workers.	Complied. Adequate control measures including protective equipment for construction workers are in place
[33]	The project proponent shall provide one refuse area till 24 meter, one till 39 meter and one after every 15 meter as per National Building Code. The project proponent shall not convert any refuse area in the habitable space and it should not be sold out/commercialized.	Complied The applicable refuse areas will be provided at designated heights of the building as per NBC.
[34]	The project proponent shall provide fire control room and fire officer for building above 30 meters as per National Building Code.	Complied. Photograph of fire control room is attached as an Annexure IX
[35]	The project proponent shall obtain permission of Mines and Geology Department for excavation of soil before the start	Complied. For ASF Insignia SEZ Pvt. Ltd.  Authorised Signatory

	of construction	
[36]	The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system including their integration with external services of HUDA / Local authorities beside other required services before taking up any construction activity.	Noted
[37]	The site for solid waste management plan is earmarked on the layout plan and the detailed project for setting up the solid waste management plan shall be submitted of the Authority within one month.	Noted.
[38]	Vertical fenestration shall not exceed 40% of total wall area.	Noted.
[39]	The project proponent shall discharge excess of treated waste water/ storm water in the public drainage system and shall seek permission of HUDA before the start of construction.	Noted.
[40]	The project proponent shall seek NOC from Town and country department regarding height of the building allowed in the skyline of that area.	Complied.
[41]	The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on richter scale.	Ensured. Ensured as per NBC Norms.
[42]	The project proponent shall ensure that no construction activity is undertaken either on surface or below or above surface of revenue rasta passing through the project area.	Ensured.

[43]	The project proponent shall indicate the width and length of revenue Rasta passing through the project area on sign board and shall display the same at both the ends of revenue Rasta stretch, for awareness of public, sign board also display the message that the is public rasta / road and any citizen can use it. There shall not be any gate with or without guards on revenue rasta.	Noted.
[44]	The project proponent shall ensure that natural flow of existing nallah is never obstructed and shall seek NOC from Irrigation Department regarding this before the start of construction.	Noted
[45]	The project proponent shall ensure that in case of excessive flow of water in nallah, the structural integrity of buildings alongside the nallah is not breached in any circumstances.	Noted.
[46]	The project proponent shall ensure that there should not be any water logging on the bed of nallah even in case of excessive rain.	Noted.
[47]	The project proponent shall ensure that sewerage pipe line should not cross over the nallah and project proponent shall maintain separate STP in the plot area across the nallah.	Noted.
[48]	The project proponent shall ensure that sewerage system and storm drainage system shall be planned by taking into account the natural slope of original land and approval from HUDA and irrigation department shall be taken before the start of construction.	Ensured.
[49]	The project proponent shall ensure that bed of nallah is not encroached in any manner, while constructing the culvert over the nallah.	Noted.

For ASF Insignia SEZ Pvt. Ltd.



Authorized Signatory

[50]	The project proponent shall ensure plinth level of the building block is 1.5 meter above 100 years flood level.	Complied.
[51]	The project proponent shall provide pervious surface instead of impervious and hard surface in order to reduce overflow of water in nallah.	Noted.
[52]	The project proponent shall ensure proper drainage in the project area as the project area is uneven and undiluted.	Ensured.
B. Operational Phase		
[a]	“Consent to Operate” shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.	<p>Complied. The Consent to Operate has already been obtained and submitted.</p> <p>The consent to operate renewal for Building B2 has been obtained via HSPCB/Consent/: 320303322 GUNOCTO 25902144 dated 20.08.2022 valid up-to 30.09.2027 and attached as an Annexure X.</p> <p>The consent to operate renewal for Building B3 has been obtained via HSPCB/Consent/: 320303322 GUNOCTO 25902144 dated 20.08.2022 valid up to 30.09.2027 and attached as an Annexure XI.</p> <p>The consent to operate for Housing /Residential has been obtained via Certificate No. HSPCB/Consent/:329993522GUNOCTOW19397394 dated: 02/02/2022 Valid up to 31.03.2025 and attached as an Annexure XII.</p>
[b]	The Sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to prescribed including odor and treatment effluent shall be recycled. The installation of STP should be certified by an independent expert and a report in this regard should be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste	<p>Complied.</p> <p>The STP of 530, 465 KLD and 50 KLD capacities for B3 , B2 and Housing /Residential respectively has been installed. STP feasibility report and photographs of the same has already been submitted. Report of independent expert along with STP inlet and outlet test report are attached as an Annexure.-XIII</p>


For ASF Insignia SEZ Pvt. Ltd.


 Authorised Signatory

	water is mandatory. Discharge of treated sewage shall conform to the norms and standards of HSPCB, Panchkula project proponent shall implement such STP Technology which does not required filter backwash	
[c]	Separation of the grey and black water should be done by use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should be done ensuring that the re-circulate water should have BOD level less than 10mg/ litre. And the recycled water will be used for flushing, gardening and DG set cooling etc. to achieve zero exit discharge.	Complied: Dual plumbing lines have been provided. Tertiary treatment of grey water is being carried out. Treated water is being used for flushing, gardening and HVAC cooling. We have zero exit discharge.
[d]	For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.	Ensured.
[e]	Diesel power generating sets proposed as source of back power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets should be in the basement as promised by the project proponent with appropriate stack heights as per the CPCB norms. The diesel used for the DG sets shall be ultra-low sulphur diesel(35ppm sulphur), instead of low sulphur diesel.	Complied. DG Sets used in the project site for various purposes are placed in a acoustic treated area which is as per CPCB norms. The stack heights are as per CPCB norms.

For ASF Insignia SEZ Pvt. Ltd.


 Authorised Signatory

	of rain fall. Roof top of the building shall be without any toxic material or which can contaminate rain water. Wire mesh and filters should be used wherever required.	
[j]	The ground water level and its quality should monitor regularly in consultation with Central Ground Water Authority.	<p>Complied. Ground water level and its quality are being monitored at regular intervals. Reports on water level and quality are being sent to the competent authorities on regular basis.</p> <p>Test reports of Bore well Outlet are attached as an Annexure – XIV</p>
[k]	A report on the energy conservation measure conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & Technology, R & U factors etc and submitted to the SEIAA, Haryana in three months' time.	<p>Ensured. Energy Audit report on Energy Conservation prepared as per the norms by Bureau of Energy Efficiency. The Copy of the same had been provided earlier</p>
[l]	Energy conservation measure like installation of LED for lighting the areas outside the building should be integral part of the project design and should be in place before project commission. Use of solar panels must be adapted to the maximum energy conservation	<p>Ensured. Energy conservation methods adopted like installation of LED lights, Solar Panels for heating of water, VFDs, Double Glass Units, Shadings etc.</p>
[m]	The project proponent shall use zero ozone depleting potential material in insulation, refrigeration, air- conditioning and adhesive; project	<p>Ensured.</p> <p style="text-align: right;">For ASF Insignia SEZ Pvt. Ltd.  Authorized Signatory</p>

	proponent shall also provide Halon free fire suppression system	
[n]	The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be treated by appropriate technology at the site earmarked within the project area and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.	Ensured.
[o]	The provision of the solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block.	Complied.
[p]	The traffic plan and the parking plan proposed by the project proponent should be adhered to meticulously with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be used	Ensured. Parking facility had been provided within the premises as per the norms. There is no traffic congestion on the site.
[q]	The project shall be operationalized only when HUDA / local authority will provide domestic water supply system in the area.	Complied. Currently, HUDA has no provision of water supply in this area or neighbourhood. NOC for the regularization of existing tube well has been obtained from the nominated agency of Central Ground Water Authority (CGWA). The copy of the same attached. Also, assurance to provide domestic water supply when available with HUDA in Gwal Pahari is available.

For ASF Insignia SEZ Pvt. Ltd.



Authorized Signatory

[r]	Operation and maintenance of STP, Solid waste management and electrical infrastructure, pollution control measure shall be ensured even after the completion of project.	Noted
[s]	Different type of wastes should be disposed off as per provisions of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environmental Protection Act, 1986, Particularly E-waste and battery waste shall be disposed of as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001, The project proponent should maintain a collection centre for E-waste and it should be disposed of to only registered and authorized dismantler / recycler.	Complied. All kind of wastes are handled and disposed-off as per applicable Rules.
[t]	Standards for discharge of environmental pollutants as enshrined in various schedules of rules 3 of Environmental Protection Rules 1986 shall be strictly Complied with.	Complied
[u]	The project proponent shall make provision for guard pond and other provisions for safety against failure in the operation of wastewater treatment facilities. The project proponent shall also identify acceptable outfall for treated effluent.	Noted STPs of B 2 and B 3 are interconnected so that in case of any breakdown in one STP, the sewerage of the same could be diverted to the other STP.
[v]	The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB prescribed limits. Noise and Emission level of DG sets greater than 800KVA shall be as per CPCB latest standards for high capacity DG Sets.	Ensured and made all provisions as per CPCB norms.

for ASF Insignia SEZ Pvt. Ltd.



 Authorised Signatory


[w]	All electric supply exceeding 100amp, 3 phases shall maintain the power factor between 0.98 lag to 1 at the point of connection.	Complied.
[x]	The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.	Ensured.
[y]	The project proponent shall use only treated water instead of fresh water for HVAC and DG cooling. The project proponent shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drives, best Co-efficient of Performance (CoP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be restored for conservation of power and water. Coil type cooling DG sets shall be used for saving cooling water consumption for water cooled DG sets.	Complied. Treated water of STP being used for cooling of equipment.
[z]	The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.	Complied.
[aa]	Water supply shall be metered among different users and different utilities.	Ensured. Flow meters provided at various outlets.

For ASF Insignia SEZ Pvt. Ltd.



 Authorized Signatory

[ab]	The project proponent shall ensure that exit velocity from stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down –water under any meteorological conditions	Ensured.
[ac]	The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment chapter of EMP.	Ensured.
[ad]	The project proponent shall ensure proper Air Ventilation and light system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour/(ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.	Ensured.
[ae]	The project proponent shall get the inspection of nallah before the onset of monsoon season every year from Irrigation department.	Noted.
[af]	The project proponent shall not discharge untreated water in the nallah and also shall not throw any solid waste in the nallah.	Ensured.
PART-B GENERAL CONDITIONS		
B [i]	The project proponent shall ensure the commitments made in Form-1, Form-1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are Complied with in letter and spirit. In case of contradiction between two or more	Complied. All the commitments made in the Form-1, Form-1A, EIA/EMP and other documents submitted to the SEIAA had been and are being complied strictly during the construction as well as the operation phase of the project.
For ASF Insignia SEZ Pvt. Ltd.  Authorised Signatory		

	documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.	
B [ii]	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data(both in hard copies as well as e-mail) to the northern regional office of MoEF, the respective Zonal office of CPCB, HSPCB and SEIAA Haryana.	Complied. Six monthly compliance reports on the status of compliance of the stipulated EC conditions including results of monitored data is being submitted to the HSPCB, Northern Regional office-MoEF, SEIAA-Haryana and Regional office of CPCB as per the stipulated conditions.
B [iii]	STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After every 3 months, the project proponent shall conduct environmental audit and shall take corrective measure, if required without delay.	Noted
B [iv]	The SEIAA, Haryana reserves the right to add additional safeguard measures subsequently, if found necessary, Environmental Clearance granted will be revoked if it is found the false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.	Noted
B [v]	The project proponent shall not violate any judicial orders/pronouncements issued by any court/Tribunal.	Noted For ASF Insignia SEZ Pvt. Ltd.  Authorized Signatory

B [vi]	All other statutory clearance such as the approvals for storage of diesel from Chief Controller of Explosive, Fire Department, Civil Aviation Department, Forest Conservation Act , 1980 and Wildlife (Protection) Act, 1972 PLPA, 1900, Forest Act 1927 etc shall be obtained, as applicable by project proponent from the respective authorities prior to construction of the project	Ensured Obtained all the approvals required from the competent authorities.
B [vii]	The project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the state pollution control board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and copy of the same should be forwarded to SEIAA Haryana. A copy of Environmental Clearance conditions shall also be put on project proponent's web site for public awareness.	Complied.
B [viii]	Under the provision of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.	Noted.
B [ix]	Any appeal against the this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act.2010.	Noted.

For ASF Insignia SEZ Pvt. Ltd.


 Authorised Signatory

B [x]	The project proponent shall put in place corporate Environment Policy as mentioned in MoEF, GOI OM No. J-11013/41/2006-IA II (I) dated 26.4.2012 within 3 months period. Latest corporate Environmentally Policy should be submitted to SEIAA within 3 months of issuance of this letter.	Complied
B [xi]	The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF GOI under rules prescribed for Environment audit.	Noted.
B [xii]	The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997	Complied. NOC from the deputy conservator of forest had been obtained vide letter No. 1627-G dated 05-03-2010. The copy of the same was submitted earlier.
B [xiii]	The project proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid "Pollution Under Control" certificate from competent authority.	Noted
B [xiv]	The project proponent is responsible for compliance of all conditions in Environmental Clearance letter and project proponent cannot absolve himself / herself for the responsibility by shifting it to any contractor engaged by project proponent.	Noted.
B [xv]	The project proponent shall seek fresh environmental clearance if at any stage there is change in the planning of the proposed project.	Noted.

For ASF Insignia SEZ Pvt. Ltd.


 Authorised Signatory

B [xvi]	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM _{2.5} , PM ₁₀ , SO _x , NO _x , Ozone, Lead, CO, Benzene, Ammonia, Benzopyrine, arsenic and nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Noted.
B [xvii]	The environmental statement for each financial year ending 31 st March in Form -V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Noted. Form V is attached as an Annexure XV
B [xviii]	The project proponent shall conduct environment audit at every three months interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in monitoring report.	Noted. Latest Audit report attached as an Annexure XVIII

For ASF Insignia SEZ Pvt. Ltd.


 Authorised Signatory

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA
Bay No. 55-58, Prayatan Bhawan, Sector-2, PANCHKULA.

No. SEJAA/HR/2014/331

Dated: 21-02-2014

To

M/s ASF Insignia SEZ Pvt. Ltd.
(formerly known as M/S Canton Buildwell Pvt. Ltd.)
Mr. P.K. Gupta, Senior Vice President,
11, Babar Lane, Bengali market,
New Delhi - 110 001

Subject: Environmental Clearance for Expansion of (phase-II) IT/ Information Technology Enable Services (SEZ) at Village- Gwal Pahari in Sohna Block, District-Gurgaon.

Dear Sir,

This letter is in reference to your application no. CBPL/01/09/001/520 dated 21.03.2011 addressed to M.S. SEJAA, Haryana received on 22.03.2011 and subsequent letters dated 17.08.2012, 22.08.2012, 30.08.2012, 18.09.2012, 23.04.2013 & 09.07.2013 seeking prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form1-A & Conceptual Plan, EIA/EMP on the basis of approved TOR and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MOEF, GOI vide their Notification 23.3.2012, in its meetings held on 20.07.2012, 05.09.2012, 08.04.2013, 06.06.2013 and 26.08.2013 awarded "Gold" grading to the project.

[2] It is inter-alia, noted that the project involves the construction of expansion of (phase-II) IT/ ITES (SEZ) at Village- Gwal Pahari in Sohna Block, District- Gurgaon on a plot area of 192994.58 sqmt (47.698 Acres) Notified by Ministry of Industry and commerce Government of India. The Existing area of Phase-I is 101616.56 sqmt (25.11 Acres) and the proposed Phase-II plot area is 91378.02 sqmt (22.58 Acres). The total built up area after expansion shall be 489390 sqmt (Existing approved area of Phase-I 276249 sqmt + Expansion area of Phase-II 213141 sqmt). The total built up area for the processing zone after expansion shall be 354083 sqmt (Existing phase-I 201409 + proposed Phase-II under Expansion 152674 sqmt). The total built up area for the non-processing zone after expansion shall be 135307 sqmt (Existing phase-I 74840 + proposed Phase-II under Expansion 60467 sqmt). The proposed phase-II project shall have of IT/ITES buildings and commercial building in the processing zone and in the non-processing zone phase-II the project proponent has proposed housing and service

apartment, commercial office amenity and shopping spaces and training center. The maximum height of the building shall be approximately 90 meters. The total water requirement shall be 1843.2 M³/day (Phase-I 965.6 M³/day + 877.6 Phase-II). The fresh water requirement shall be 988.8 M³/day (Phase-I 531.7 M³/day + 457.1 Phase-II) which will be sourced from existing bore wells and permission of competent authority has been obtained. The total waste water generation shall be 949.4 M³/day (Phase-I 482.12 M³/day + 467.3 Phase-II), which will be treated in the 3 STPs of 350 M³/day capacity. The total power requirement shall be 40 MVA (phase-I 19.5 MVA + phase-II 20.5 MVA) which will be supplied by DHBVN through 66 KV grid line from sector-56 of Gurgaon for the connection load sanctioned of 50 MVA. The Project Proponent has proposed to develop 35.15% of project area for tree plantation (20.33%), landscape (9.81%) and water bodies (5.01%). The Project Proponent proposed to construct 40 rain water harvesting pits. The solid waste generation will be 8.3TPD (phase-I 4.3 TPD + phase-II 4TPD). The bio-degradable waste will be treated in the project area by adopting appropriate technology. The total parking spaces proposed are 10100 ECS.

[3] The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations, have recommended the grant of environmental clearance for the project mentioned above, subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority in its meeting held on 24.01.2014 decided to agree with the recommendations of SEAC to accord necessary environmental clearance for the project under Category 8(b) of EIA Notification 2006 subject to the strict compliance with the specific and general conditions mentioned below:-

PART A-
SPECIFIC CONDITIONS:-
Construction Phase:-

- [1] "Consent for Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana before the start of any construction work at site.
- [2] A first aid room as proposed in the project report shall be provided both during construction and operational phase of the project.
- [3] Adequate drinking water and sanitary facilities shall be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the labourers is strictly prohibited. The safe disposal of waste water and solid wastes generated during the construction phase should be ensured.
- [4] All the topsoil excavated during construction activities shall be stored for use in horticulture/landscape development within the project site.

- [5] The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed of after taking necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- [6] Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board.
- [7] The diesel generator sets to be used during construction phase shall be of ultra low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.
- [8] The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- [9] Ambient noise levels shall conform to the residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air pollution and noise level during construction phase, so as to conform to the stipulated residential standards of CPCB/MoEF.
- [10] Fly ash shall be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and as amended on 27th August 2003.
- [11] Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.
- [12] Water demand during construction shall be reduced by use of pre-mixed concrete, curing agents and other best practices.
- [13] In view of the severe constrains in water supply augmentation in the region and sustainability of water resources, the developer will submit the NOC from CGWA specifying water extraction quantities and assurance from HUDA/ utility provider indicating source of water supply and quantity of water with details of intended use of water – potable and non-potable. Assurance is required for both construction and operation stages separately. It shall be submitted to the SEIAA and RO, MOEF, Chandigarh before the start of construction.
- [14] Roof must meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material.

- [15] Opaque wall must meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is desirable for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- [16] The approval of the competent authority shall be obtained for structural safety of the building on account of earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc. If any forest land is involved in the proposed site, clearance under Forest Conservation Act shall be obtained from the competent Authority.
- [17] Overexploited groundwater and impending severe shortage of water supply in the region requires the developer to redraw the water and energy conservation plan. Developer shall reduce the overall footprint of the proposed development. Project proponent shall incorporate water efficiency /savings measures as well as water reuse/recycling within 3 months and before start of construction to the SEIAA, Haryana and RO, MOEF, GOI, Chandigarh.
- [18] The Project Proponent as stated in proposal shall construct 40 nos. rain water harvesting pits for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pit. Maintenance budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.
- [19] The project proponent shall provide for adequate fire safety measures and equipments as required by Haryana Fire Service Act, 2009 and instructions issued by the local Authority/Directorate of fire from time to time. Further the project proponent shall take necessary permission regarding fire safety scheme/NOC from competent Authority as required.
- [20] The Project Proponent shall obtain assurance from the DHBVN for supply of 40 MVA of power supply before the start of construction. In no case project will be operational solely on generators without any power supply from any external power utility.
- [21] Detail calculation of power load and ultimate power load of the project shall be submitted to DHBVN under intimation to SEIAA Haryana before the start of construction. Provisions shall be made for electrical infrastructure in the project area.
- [22] The Project Proponent shall not raise any construction in the natural land depression / Nallah/water course and shall ensure that the natural flow from the Nallah/water course is not obstructed.

- [23] The Project Proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.
- [24] Construction shall be carried out so that density of population does not exceed norms approved by Director General Town and Country Department Haryana.
- [25] The Project Proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction.
- [26] The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.
- [27] The project proponent shall ensure that ECBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.
- [28] The Project Proponent shall provide 3 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.
- [29] The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.
- [30] The project proponent shall provide proper rasta of proper width and proper strength for the project before the start of construction.
- [31] The project proponent shall ensure that the U-value of the glass is less than 3.177 and maximum solar heat gain co-efficient is 0.25 for vertical fenestration.
- [32] The project proponent shall adequately control construction dusts like silica dust, non-silica dust, wood dust. Such dusts shall not spread outside project premises. Project Proponent shall provide respiratory protective equipment to all construction workers.
- [33] The project proponent shall provide one refuse area till 24 meter, one till 39 meter and one each after 15 meter as per National Building Code. The project proponent shall not convert any refuse area in the habitable space and it should not be sold out/commercialized.
- [34] The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.
- [35] The project proponent shall obtain permission of Mines and Geology Department for excavation of soil before the start of construction.
- [36] The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system including their integration with external services of HUDA/ Local authorities beside other required services before taking up any construction activity.

- [37] The site for solid waste management plant be earmarked on the layout plan and the detailed project for setting up the solid waste management plant shall be submitted to the Authority within one month.
- [38] Vertical fenestration shall not exceed 40% of total wall area.
- [39] The project proponent shall discharge excess of treated waste water/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.
- [40] The project proponent shall seek NOC from Town and Country department regarding height of the building allowed in the skyline of that area.
- [41] The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.
- [42] The project proponent shall ensure that no construction activity is undertaken either on surface or below or above surface of revenue rasta passing through the project area.
- [43] The project proponent shall indicate the width and length of revenue rasta passing through the project area on sign board and shall display the same at both the ends of revenue rasta stretch, for awareness of public. Sign board shall also display the message that this is public rasta/road and any citizen can use it. There shall not be any gate with or without guards on revenue rasta further project proponent shall not encroach revenue rasta and shall not cross internal roads over revenue rasta.
- [44] The project proponent shall ensure that natural flow of existing nallah is never obstructed and shall seek NOC from Irrigation Department regarding this before the start of the construction.
- [45] The project proponent shall ensure that in case of excessive flow of water in, nallah, the structural integrity of buildings along-side the nallah is not breached in any circumstances.
- [46] The project proponent shall ensure that there should not be any water logging on the bed of nallah even in case of excessive rain.
- [47] The project proponent shall ensure that sewerage pipe line should not cross over the nallah and project proponent shall maintain separate STP in the plot area across the nallah.
- [48] The project proponent shall ensure that sewerage system and storm drainage system shall be planned by taking into account the natural slope of original land and approval from HUDA and Irrigation department shall be taken before the start of construction.

- [49] The project proponent shall ensure that bed of nallah is not encroached in any manner, while constructing the culvert over the nallah.
- [50] The project proponent shall ensure plinth level of the building block is 1.5 meter above 100 years flood level.
- [51] The project proponent shall provide pervious surface instead of impervious and hard surface in order to reduce overflow of water in nallah.
- [52] The project proponent shall ensure proper drainage in the project area as the project area is uneven and undiluted.

Operational Phase:

- [a] "Consent to Operate" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.
- [b] The Sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to the prescribed standards including odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste water is mandatory. The project proponent shall remove not only Ortho-Phosphorus but total Phosphorus to the extent of less than 2mg/liter. Similarly total Nitrogen level shall be less than 2mg/liter in tertiary treated waste water. Discharge of treated sewage shall conform to the norms and standards of CPCB/ HSPCB, whichever is environmentally better. Project Proponent shall implement such STP technology which does not require filter backwash.
- [c] Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should be done ensuring that the re-circulated water should have BOD level less than 5 mg/litre and the recycled water will be used for flushing, gardening and DG set cooling etc.
- [d] For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.
- [e] Diesel power generating sets proposed as source of back-up power for lifts, common area illumination and for domestic use should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets shall be in the basement as promised by the project proponent with appropriate stack height above the highest roof level of the project, as per the CPCB norms. The diesel used for DG sets shall be ultra low sulphur diesel (35ppm sulphur), instead of low sulphur diesel.

- [f] Ambient Noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the Proposed IT/ITES Project.
- [g] The project proponent as stated in the proposal shall maintain at least 35.15% as green cover area for tree plantation especially all around the periphery of the project and on the road sides preferably with local species which can provide protection against noise and suspended particulate matter. The open spaces inside the project shall be preferably landscaped and covered with vegetation/grass, herbs & shrubs. Only locally available plant species shall be used.
- [h] The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.
- [i] Rain water harvesting for roof run-off and surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment through sedimentation tanks must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging shall be kept at least 5 mts. above the highest ground water table. Care shall be taken that contaminated water do not enter any RWH pit. The project proponent shall avoid Rain Water Harvesting of first 10 minutes of rain fall. Roof top of the building shall be without any toxic material or paint which can contaminate rain water. Wire mesh and filters should be used wherever required.
- [j] The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- [k] A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the SEIAA, Haryana in three months time.
- [l] Energy conservation measures like installation of LED only for lighting the areas outside the building and inside the building should be integral part of the project design and should be in place before project commissioning. Use of solar panels must be adapted to the maximum energy conservation.
- [m] The Project Proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning and adhesive. Project Proponent shall also provide halon free fire suppression system.
- [n] The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be treated by appropriate technology at the site ear-marked

within the project area and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.

- [o] The provision of the solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block.
- [p] The traffic plan and the parking plan proposed by the Project Proponent should be meticulously adhered to with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be used.
- [q] The Project shall be operationalized only when HUDA/local authority will provide domestic water supply system in the area.
- [r] Operation and maintenance of STP, solid waste management and electrical Infrastructure, pollution control measures shall be ensured even after the completion of project.
- [s] Different type of wastes should be disposed off as per provisions of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environment Protection Act, 1986. Particularly E-waste and Battery waste shall be disposed of as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001. The project proponent shall maintain a collection center for E-waste and it shall be disposed of to only registered and authorized dismantler / recycler as per existing E-waste Management Rules 2011.
- [t] Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.
- [u] The project proponent shall make provision for guard pond and other provisions for safety against failure in the operation of wastewater treatment facilities. The project proponent shall also identify acceptable outfall for treated effluent.
- [v] The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800 KVA shall be as per CPCB latest standards for high capacity DG sets.
- [w] All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.
- [x] The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.
- [y] The project proponent shall use only treated water instead of fresh water for HVAC and DG cooling. The Project Proponent shall also use evaporative cooling

technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drive, best Co-efficient of Performance (CoP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.

- [z] The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.
- [aa] Water supply shall be metered among different users and different utilities.
- [ab] The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.
- [ac] The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EMP.
- [ad] The project proponent shall ensure proper Air Ventilation and light system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour/(ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.
- [ae] The project proponent shall get the inspection of nallah before the onset of monsoon season every year from Irrigation Department.
- [af] The project proponent shall not discharge untreated water in the nallah and also shall not throw any solid waste in the nallah.

PART-B. GENERAL CONDITIONS:

- [i] The Project Proponent shall ensure the commitments made in Form-1, Form-1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point, the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.
- [ii] The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the northern Regional Office of MoEF, the respective Zonal Office of CPCB, HSPCB and SEIAA Haryana.

- [iii] STP outlet after-stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After every 3 (three) months, the project proponent shall conduct environmental audit and shall take corrective measure, if required, without delay.
- [iv] The SEIAA, Haryana reserves the right to add additional safeguard measures subsequently, if found necessary. Environmental Clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.
- [v] The Project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.
- [vi] All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972, Forest Act, 1927, PLPA 1900, etc. shall be obtained, as applicable by project proponents from the respective authorities prior to construction of the project.
- [vii] The Project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A copy of Environment Clearance conditions shall also be put on project proponent's web site for public awareness.
- [viii] Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has been started before obtaining prior Environmental Clearance.
- [ix] Any appeal against the this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- [x] The project proponent shall put in place Corporate Environment Policy as mentioned in MoEF, GoI OM No. J-11013/41/2006-IA II (I) dated 26.4.2012 within 3 months period. Latest Corporate Environment Policy should be submitted to SEIAA within 3 months of issuance of this letter.
- [xi] The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF, GoI under rules prescribed for Environment Audit.
- [xii] The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997.

- [xiii] The Project Proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid 'Pollution Under Control' certificate from competent Authority.
- [xiv] The project proponent is responsible for compliance of all conditions in Environmental Clearance letter and project proponent can not absolve himself /herself of the responsibility by shifting it to any contractor engaged by project proponent.
- [xv] The project proponent shall seek fresh Environmental clearance if at any stage there is change in the planning of the proposed project.
- [xvi] The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM_{2.5}, PM₁₀, SO_x, NO_x, Ozone, Lead, CO, Benzene, Ammonia, Benzopyrine, arsenic and Nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- [xvii] The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- [xviii] The project proponent shall conduct environment audit at every three months interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.

[Signature]
Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.

Endst. No. SEIAA/HR/2013

Dated:.....*[Signature]*.....

A copy of the above is forwarded to the following:

1. The Additional Director (IA Division), MOEF, GOI, CGO Complex, Lodhi Road, New Delhi.
2. The Regional office, Ministry of Environment & Forests, Govt. of India, Sector 31, Chandigarh.
3. The Chairman, Haryana State Pollution Control Board, Pkl.

Member Secretary,
State Level Environment Impact
Assessment Authority, Haryana, Panchkula

State Environment Impact Assessment Authority, Haryana,
Bays No.55-58, Prayatan Bhawan, Sector-2 Panchkula.

Telephone No. 0172-2565232

Memo No: SEIAA/HR/2019/201

Date: 22.07.19

To

M/s ASF Insignia SEZ Pvt Ltd,
11, Babarlane, Bengali Market,
New Delhi- 110001

Subject:- Amendment in Environmental Clearance for expansion of (phase-II) IT/information Technology Enable Services(SEZ) at village-Gwal Pahari in Sohna block, District Gurgaon Haryana.

Please refer to your application dated 01.03.2019 submitted for seeking amendment in EC granted for expansion of (phase-II) IT/Information Technology Enable Services (SEZ) at village-Gwal Pahari in Sohna block, District Gurgaon Haryana vide SEIAA/HR/2014/331 dated 21.02.2014.

Your application was considered by SEAC in its 178th meeting held on 11.04.2019 and recommended to SEIAA for amendment with a total built up area of 792209.65 sq. mtrs in EC letter no. SEIAA/HR/2014/331 dated 21.02.2014 (including already approved area of 489390 sq. mtrs + an area of 302819.65 sq. mtrs pertaining to basements).

Recommendations of SEAC was considered in 118th meeting of SEIAA held on 12.06.2019 and Authority decided to agree with the recommendation of SEAC and allow the amendment of Environment Clearance letter subject to compliance of the conditions already imposed in the Environment Clearance letter dated 21.02.2014.


Chairman, SEIAA
Haryana

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA
 Bay No. 55-58, Prayatan Bhawan, Sector-2, PANCHKULA.

Tel: 0172-2565232

E-mail Id: sciaa.hry@gmail.com

No. SEIAA(125)/HR/2021/254

Dated: 04/03/2021

To

M/s ASF Insignia SEZ Pvt. Ltd,
 # 11, Babar lane, Bengali Market,
 New Delhi- 110001

Subject: Amendment in Environment Clearance for "ASF Insignia IT/ITES (SEZ)" project located at Village Gwal Pahari, Tehsil - Wazirabad, District Gurugram, Haryana.

[1] This letter is in reference to your application dated 09.07.2020 addressed to Member Secretary, SEIAA, Haryana received on 14.07.2020 and subsequent letter dated 30.08.2020 seeking prior Amendment in Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-4 and additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MoEF & CC, GoI vide their Notification dated 30.01.2019, in its meetings held on 30.08.2020.

[2] It is inter-alia, noted that the project involves "ASF Insignia IT/ITES (SEZ)" project located at Village Gwal Pahari, Tehsil-Wazirabad, District Gurugram, Haryana. The details of the project as given below:

Sr. No.	Particulars	Existing/ Phase I	Expansion/ Phase II	Total	Amended
Online Project Proposal Number		SIA/HR/MIS/162790/2020			
1.	Waste Water Generated (KLD)	482.12	467.3	949.42	1901.56 (80% of fresh water + 100 % of Flushing + Blow Down of Cooling Tower of HAVC + Filter Backwash Water)
2.	STP Capacity (KLD)	1050 (3 X 350)			2300

[3] The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations, have recommended the grant of amendment in environmental clearance for the project mentioned above, subject to no pollution load shall be increased due to

State Environment Impact Assessment Authority, Haryana,
Bays No.55-58, Prayatan Bhawan, Sector-2 Panchkula.

Telephone No. 0172-2565232
E-mail ID: seiaa.hry@gmail.com

Memo No: SEIAA/HR/2021/465

Date: 11/05/2021

To

M/s ASF Insignia SEZ Private Limited,
11, Babar Lane, Bengali Market,
New Delhi-110001

Subject: Extension of validity of Environment Clearance for "ASF Insignia IT/ITES (SEZ)" project located at Village Gwali Pahari, Tehsil-Wazirabad, District Gurugram, Haryana.



With reference to your application No. Nil dated 18.03.2021 received in this office on 26.03.2021 for seeking Extension of Validity of Environment Clearance granted for "ASF Insignia IT/ITES (SEZ)" project located at Village Gwali Pahari, Tehsil-Wazirabad, District Gurugram, Haryana vide letter dated 21.02.2014. The Validity of your Environment Clearance was up to 20.02.2021 as per MoEF & CC, GoI dated 14.09.2006 & its subsequent Amendment dated 29.04.2015 & 14.09.2016 whereas, due to COVID-19 pandemic the validity of EC was automatically extended for six month from the date of expiry of validity i.e. 20.08.2021 vide MOEF & CC, GOI Notification No. S.O.4254 (E) dated 27.11.2020.

The case was examined in the light of MoEF & CC, GoI Amended Notification dated 14.09.2016 & its subsequent amendment Notification dated 27.11.2020.


Keeping in view of above, the Authority decided to grant Extension for Validity of Environment Clearance for further 3 years from the date of expiry of validity of earlier EC subject to compliance of the conditions already imposed in the Environmental Clearance letter dated 21.02.2014 granted by SEIAA, Haryana.

Chairman,
SEIAA, Haryana.

First Aid Room at Construction site




First Aid Room at Construction site




First Aid Room at Construction site

FIRST AID ROOM



Medical Room



o/c

14.04.2023

To,

The Regional Officer,
Haryana State Pollution Control Board
Gurgaon

Sub.: Submission of Form - IV for the period 01.04.2022 to 31.03.2023 - Annual Return.

Dear Sir,

We are enclosing herewith Form – IV for the period from **01.04.2022 to 31.03.2023** i.e. Annual Return for Hazardous Wastes for the financial year 2022 to 2023 for our site at Village Gwal Pahari, Tehsil Wazirabad Distt. Gurgaon (Haryana).

Thanking you,
Yours faithfully,

For ASF INSIGNIA SEZ PVT. LTD.



Authorized Signatory
Encl: AS Above

CC: The Chairman
Haryana State Pollution Control Board
C-11, Sector-6, Panchkula

<Dial 1800266868> <Wear Masks, Stay Safe>
भारतीय डाक

ED663362392IN IVR:696866336233
SP NEW DELHI GFD <110001> India Post
Counter No:4,19/04/2023,09:29
To:THE REGIONAL, HARYANA STATE PD
PIN:122001, Gurgaon HD
From:ASF INSIGNIA,362-363 ASF CENT
Wt:45gms
Amt:17.70(Tax):2.70

<Track on www.indiapost.gov.in>

<Dial 1800266868> <Wear Masks, Stay Safe>
भारतीय डाक

ED663362393IN IVR:696866336233
SP NEW DELHI GFD <110001> India Post
Counter No:4,19/04/2023,09:29
To:THE CHAIRMAN,HARYANA STATE PD
PIN:134109, Panchkula Sector 8 S.O
From:ASF INSIGNIA,362-363 ASF CENT
Wt:45gms
Amt:41.30(Tax):6.30

<Track on www.indiapost.gov.in>

ASF INSIGNIA SEZ PRIVATE LIMITED

Site Office : ASF Insignia SEZ (IT/ITes), Vatsal Valley (Gwal Pahari), off Gurugram-Faridabad Road, Gurugram-122003, Haryana

t: +91 124 4777200 f: +91 124 4234110 e: corporate@asfinfrastructure.com w: www.asfinfrastructure.com

Regd. Office : 11, Babar Lane, Bengali Market, New Delhi-110001 t: +91 11 23355511 f: +91 1123739298

Corp. Office : ASF Centre, 362-363, Udyog Vihar, Phase-IV, Gurugram-122016 (India)

CIN U45201DN 2005PTC140408



FORM 4
[See rules 5(6) and 22 (2)]

**FORM FOR FILING ANNUAL RETURNS
BY THE OCCUPIER OR OPERATOR OF FACILITY
For the period from 1st April, 2022 to 31st March, 2023**

[To be submitted by occupier/operator of disposal facility to State Pollution Control Board/
Pollution Control Committee by 30th June of every year for the preceding period April to March]

1.	Name and address of the generator/ operator of facility	:	ASF Insignia SEZ Private Limited Village Gwal Pahari, Sub-Tehsil Wazirabad Distt. Gurgaon, Haryana			
2.	Name of the authorized person and full address with telephone and fax number	:	Shri Anil Sharma ASF Center Plot No.362-363, Gate No.4, Udyog Vihar , Phase IV, Gurgaon, Haryana. Tel. No. : 0124-4777205 Fax. No. : 0124-4234110			
3.	Description of hazardous waste	:	Physical form with description	Chemical form		
			Used Lube Oil generated from Generator Sets			
4.	Quantity of hazardous (in MTA)	:	Type of hazardous waste	Quantity (in Tonnes/KL)		
			Used Oil (Haz. Waste Category: 5.1)	3.300		
5.	Description of Storage	:	Stored in closed labeled PVC drums in designated area with concrete flooring			
6.	Description of Treatment	:	None			
7.	Details of transportation	:	Name & address of consignee	Mode of packing	Mode of transportation	Date of transportation
			M/s. Shiv Shakti Oil & Lubricants F-557; RIICO Ind. Area Chopanki , Post Tapukara, Tehsil- Tizara, Distt- Alwar-301017, Rajasthan	Closed Drums	RJ40GA2066	31.10.2022
8.	Details of disposal of hazardous waste	:	Name & address of consignee	Mode of packing	Mode of transportation	Date of transportation
			Given to approved vendor/recycler (M/s. Shiv Shakti Oil &			



[Handwritten Signature]

		Lubricants)	
9.	Quantity of useful materials sent back to the manufacturers* and others#	Name and type of Quantity in Tonnes/Kl. material sent back to Manufacturers*	Nil
		Others# (Used Oil)	3.3 KL (M/s Shiv Shakti Oil & Lubricants)

* delete whichever is not applicable# enclose list of other agencies

Signature : 
 Designation : Vice President (Projects)

Date : 10th April 2023
 Place : Gurgaon, Haryana





ote

Date: 02.10.2022

The Regional Office
Haryana State Pollution Control Board
Gurgaon, Haryana

Sub.: Disposal of Hazardous Waste M/S Shiv Shakti Oil Lubricants - F 557; RIICO Ind, Area Chopanki P.O. Tapukara, Tehsil Tizara, Distt. Alwar (Rajasthan) PIN. 301017

Dear Sir,

We have sent 3300 liters Of used lube oil (Hazardous Liquid Waste) to M/S Shiv Shakti Oil Lubricants - F 557; RIICO Ind, Area Chopanki P.O. Tapukara, Tehsil Tizara, Distt. Alwar (Rajasthan) PIN. 301017 and enclosing herewith copies of the following relevant documents for your records:-

- 1) Invoice No. AF 1022500005 Dated. 31.10.2022
- 2) Bill of Entry No. 2000056 Dated. 15.092022
- 3) Form-10 [See Rule 19 (1)]
- 4) E-way bill No. 3715 1689 0925 Dated. 31.10.2022 02:38 PM
- 5) Registration certificate-cum-Pass Book

Thanking you,
Yours faithfully,

For ASF INSIGNIA SEZ PVT. LTD.

AUTHORISED SIGNATORY

Encl. As above

<021 1000260600> (Dear users, stay safe)

EN306923693IN IUR:6972346922692
SF INDUSTRIAL COMPLEX NUNAHERA
Counter No:1, 04/11/2022, 12:59
To: THE REGIONAL,
PIN: 122001, Gurgaon Haryana
From: ASF INSIGNIA,
Wt: 60kg
Est: 29.50 (Cash) Tax: 4.50
(Track on www.indiapost.gov.in)



ASF INSIGNIA SEZ PRIVATE LIMITED

Site Office : ASF Insignia SEZ (IT/ITES), Vatsal Valley (Gwal Pahar), off Gurugram Faridabad Road, Gurugram-122005, Haryana
t: +91 124 4772001 f: +91 124 4234110 e: corporate@asfinfrastructure.com vs: www.asfinfrastructure.com
Regd. Office : 11, Babar Lane, Bengali Market, New Delhi-110001 t: +91 11 23355511 f: +91 11 23735298
Corp. Office : ASF Centre, 362-363, Udyog Vihar, Phase-IV, Gurugram-122016 (India)
CIN U45201DL2005PTC140467




Invoice

Supplier/Exported Consignee M/s ASF Insignia SEZ Pvt. Ltd. Village Gwal Pahari, Tehsil Sohna District Gurgaon (Haryana) GSTIN # 06AACCC7148L1ZG		Invoice No./Date AF1022500005 Dated 31.10.2022 <hr/> Order No. Date RJ40GA-2066 <hr/> Delivery: At SEZ Site Payment: Advance		
Buyer/Consignee M/s SHIV SHAKTI OIL & LUBRICANTS P-557, RIICO Ind. Area Chopanki Post Tapukara, Tizara Distt Alwar, Rajasthan- 301017. GST No.: 08ABFFS4464G1ZZ PAN No. ABFFS4464G		Buyer (if other than consignee) Same as consignee		
Marks/Nos./Kind of packages	Description of goods	Quantity (Ltrs)	Rate Rs.	Amount Rs.
15 Drums (220 Ltrs each)	Used Lubricating Oil (Waste Oil with drum) <u>H.S. Code: 27109900</u>	3300.00	20.89	68937.00
N. Wt: 3300 Ltrs G. Wt:		TOTAL	3300	68937.00
ASF Insignia SEZ Pvt. Ltd. EXPORT ENTRY SI No. Time In. Time Out. Dist. Sign. (Security)		BCD 5.00%	3446.85	
		SWS 10.00%	344.69	
		Customs Duty	0.00	
		IGST 18.00%	3791.54	iii-33
		TOTAL Duty	13091.14	
Attd: Value including Duty / Tax		16882.67		16,882.67
Net Invoice Value				85819.67

Total: Rupees Eighty Five Thousand Eight Hundred Nineteen and Paise Sixty Seven Only.

We certify that the above particulars are true & correct.
 We further declare that the goods are dispatched / to be dispatched to a bonafied user.

For ASF Insignia SEZ Pvt. Ltd.
 For ASF INSIGNIA SEZ PVT. LTD.

 Authorized Signatory



e-Way Bill



1. E-WAY BILL Details

eWay Bill No: **3715 1609 0925** Generated Date: **31/10/2022 07:30 PM** Generated By: **06AAC CG714 BL1ZG** Valid Upto: **01/11/2022**

Mode: **Road** Approx Distance: **42km**

Type: **Outward - Supply** Document Details: **Tax Invoice - AP1022500005 - 31/10/2022** Transaction type: **Regular**

2. Address Details

From

GSTIN: 06AAC CG714 BL1ZG
 ASF INSIGNIA SEZ PVT LTD
 OTHER COUNTRIES

Dispatch From:
 GAWALRAHAT
 PARADIPAD HONGKONGICOM
 Guesstax: 06AACCG714BL1ZG

To

GSTIN: 06MIF FG465 40122
 SHY SHAKTI OIL & LUBRICANTS
 RAJASTHAN

Shop To:
 F-557
 CHOPANSI INDUSTRIAL AREA
 CHOPANSI, BHAWAL, RAJASTHAN-301015

3. Goods Details

HSN Code	Product Name & Desc.	Quantity	Taxable Amount Rs.	Tax Rate (C+S+H+Cess+Cess Non-Advol)
27109900	USED LUBRICATING OIL & LTR	3300.00	72726.53	NE+NE+18.000+0.000+0.00

Tot. Taxable Amt **72726.53** CGST Amt **0.00** SGST Amt **0.00** IGST Amt **13001.14** CESS Amt **0.00** CGST Non-Advol Amt **0.00**

Other Amt **0.00** Total Tax Amt **13001.14**

4. Transportation Details

Transporter ID & Name : **08AQFFS4464G1ZZ & SHY SHAKTI OIL LUBRICANTS** Transporter Doc. No & Date : **31/10/2022**

5. Vehicle Details

Mode	Vehicle / Train Doc No & DL	From	Entered Date	Entered By	CRWD No. (if any)	Multi Vehicle (if any)
Road	RJHUGA20HG	Outward	31-10-2022 02:08 PM	06AACCG714BL1ZG	-	-



371516090925




ORIGINAL COPY
ASF INSIGNIA SEZ PVT. LTD. (INCORPORATED IN INDIA)
 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000.

ASF INSIGNIA SEZ PVT. LTD.
 449 THIRD FLOOR
 31/10/22




FORM 10
[See Rule 19 (1)]
MANIFEST FOR HAZARDOUS AND OTHER WASTE

1.	Sender's name and mailing address (including Phone no. and e-mail)	ASF Insignia SEZ Pvt. Ltd Gurgaon-Faridabad Road, VIII- Gwal Pahari, Teh-Sohna District Gurgaon (Haryana)			
2.	Sender's Authorisation No.				
3.	Manifest Documents No.	SSOL / HW / 01 / 2122-23 / ASF..... / DL 31.10.22			
4.	Transporter's name and address: (including Phone No. and e-mail)	M/s. Shiv Shakti Oil & Lubricants.			
5.	Type of vehicle	(Truck/Tankers/Special Vehicle)			
6.	Transporter's registration No.	Self-			
7.	Vehicle registration No.	RJ.40 GA.2066			
8.	Receiver's name and mailing address (including Phone No. and e-mail)	SHIV SHAKTI OIL & LUBRICANTS F-557 & F-693 (Unit 3), RIICO Industrial Area Chopanki, Post: Tapukara Teh. Tijara, Distt. Alwar - 301707 (Rajasthan) INDIA Ph.: +91-9310003339, 9350003339 E: shivshakti.tub07@yahoo.co.in			
9.	Receiver's Authorisation No.	RSPCB / HWM / 2018-2019 / HSW / HSW / <u>21</u> RSPCB / HWM / 2018-2019 / HSW / HSW / <u>106</u> (Unit 3)			
10.	Waste description	Used Lube Oil, Used Cutting Coolant Oil (Cat. 5.1) ✓ Used Hydraulic Oil, Used Transformer Oil (Cat. 5.2) X Waste or Residues Containing Oil Containers/ Barrels/ Drums Contaminated with Hazardous Chemicals/ Waste (Cat. 33.1) (Unit-3) X Hazardous Waste			
11.	Total quantity No. of Containers 3300 (L) m ³ or MT Nos.			
12.	Physical form	(Solid/Semi-Solid/Sludge) OILY / Tary / Slurry / Liquid			
13.	Special handling instructions and additional information: (Handle with Care)	Disposed/ sale as per Precautions/ Rules of Central Pollution Control Board/ MOEF/ SPCB to the Authorized Reg. Re-recycler/ Re-reprocessor			
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled and are in all respects in proper condition for transport by road according to applicable national government regulations.			
	Name & stamp: 	Signature	Month 10	Day 31	Year 2022
15.	Transporter acknowledgement of receipt of Wastes		Month 10	Day 31	Year 2022
16.	Receiver's certification for receipt of hazardous and other waste		Month 10	Day 31	Year 2022
	Name & stamp: M/s. Shiv Shakti Oil & Lubricants	Signature	Month 10	Day 31	Year 2022
		Auth. Signature			



**Endorsement by the Auctioneer/Seller (except column no. 6 & 7)
(Condition No.3 of the Authorisation)**

Authorisation No.: P(HSIC) Alora (Tijara) 1845 Date: 25/04/2018
 (1) 2014-15 135-537
 Waste(s) Type: Used or Spent oil Permitted Quantity: 2000 kLA

S. No.	Date	Address of the Auctioneer/Seller	Type & Quantity of HW sold /Auctioned	Signature & Seal of the Auctioneer/Seller with date	Date of arrival in Recyclers premises & Challan No.	Balance Quantity (Registered - procured till date)
(1)	(2)	(3)	(4)	(5)	(6)	(7)
211						
212	31.10.20	ASF Insignia SEZ P. Ltd	Used Oil 230 Ltr			

*to be filled by the Recycler






Indian Oil Corporation Limited

INVOICE UNDER BOLT & Seal of Central Excise Rules

We hereby certify that the goods covered by this document have suffered applicable Taxes on clearance



Doc Name: TAX INVOICE & number

25340253011504

INR 1294063.20

Form No AC4 31A SAP Entry no. 767494762 Date 05-Jun-23
Del Mode Road Delivered T.T.No. UP85B15045 Time 10:08
Cont Code 10129859 Den@15 829.40 Rem.Date/Time

Supplier		CONSIGNEE	
Code Name & Address	1525 (CIN:L23201MH1959COI011309) Mathura Terminal 1525 Indian Oil Corporation Ltd Mathura 281005	253534 (Mob No.-9650595275) ASF INSIGNIA SEZ PRIVATE LIMITED EARLIER CANTON BUILDWELL PVT LT Gwal Pahari, GURGAON-FARIDABAD GURGAON 122016 12068	Haryana
Destn			
C.E. Regn.	AAACH1681GXM154		
C.E. Range	MATHURA REFINERY, MATHURA		
C.E. Division	A-8, KADAMB VIHAR, MATHURA		
C.E. Commissionerate	113/A, SANJAY PLACE AGRA AAACH1681GXM154 AAACH1681G		
PAN	CST: LW5065049 DT 26 LST: 0955210U006	AACCC7148L	

S.O. No:FN0 10F113/2007-SEZ/3611 08 05 2023

Supplier TAN: DELI09652G

PAYLR - 253534 ASF INSIGNIA SEZ PRIVATE LIMITED

Item	Material Code / Material Description	Quantity	Unit	Rate	Unit	HSN code	Total
10	50700 HSD-BSVI	20.000	KL			2710 10 44	
	ZAVL Transaction Value	20.000	KL	63418.260	KL		1268365.20
	NET TRANSPORTATION CHARGES				INR		25697.98
	Tank no: T03A Density@15, 829.400					Total for material	1294063.18
	Sample no: 1525/05.06.2023/01						
	Bay No: 04						
	ZRND Rounding Difference						0.18
Total							1294063.00

PL - cm	DIP - Cm	QTY - lt
1097	143.0	5.00
1716	144.9	5.00
1711	144.6	5.00
1712	143.3	5.00

1131
15:35
05/06/2023
SIT

ASF INSIGNIA SEZ PVT LTD
ENTRY NO. 219
DATE 05/06/2023
SINGG (SINGG)

Sup (SIS)
Ramesh
11/05/23

Provisional Balance Subject to reconciliation: 54130.00- (CR)

Order No: 004228073
Cont No: 281005
Cont Date: 03/06/23

E.I. No 4300006486
Delivery no. 0541253318 / Sales Order 0363255593
PO ref: 2306031819642424
DUTY PAYABLE: 5000
Seal/Lock no: 439 & 440:KEY:BLR T2 439 & BLR T2 440
This document is digitally signed

Signer: RANDHIR KUMAR BIND
Date: Mon, Jun 5, 2023 10:56:15 IST

INR Twelve lac, ninety-four thousand sixty-three only.	RECEIVED IN GOOD CONDITION IOC has no liability. Recipient undertakes - supply for own use only & to indemnify IOC.	PREPARED BY	PAGE No	Original for Buyer
	CUSTOMER'S SIGNATURE / SEAL	TRANSPORTER'S AUTHORIZED SIGNATURE/SEAL	00518491	1
Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.				
PRE-AUTHENTICATED BY				



TAX INVOICE

Mob: 98100-445
98100-447



SONIA THAKRAN FUEL POINT KSK

Dealer: INDIAN OIL CORPORATION

Vill. Man, Teh. Patandi, Gurugram-122106 (Haryana)

GSTIN : 06BBEPR3467A2ZT

TIN : 06591844946

Invoice No. **6284**

Date **28/6/23**

Rs. **ASF Insignia SEZ Pvt Ltd**
ITS SEZ site Gwal Phari Gurgaon.
Fovidasad. Gurgaon. Road. Gurgaon. H.S.D.
HR5558810

GSTIN **06AAAC 7048124**

P.O. No. _____ Vehicle No.: _____

Sl. No.	Description of Goods	QTY.	RATE	AMOUNT Rs.	IS.
1.	H.S.D.	8000 LTR	89/90	719200	120
	Discount		0.80	6400	120
<p>ASF Insignia SEZ PVT. LTD. INWARD/OUTWARD ENTRY SI No. 1290 Time In. 16:55 Time Out. _____ Date. 28/06/2023 Sign (Security) <i>[Signature]</i></p>					
*Payment Due Date _____				Vat Inclusive	
Vat & All Taxes Paid at the Source of IOCL					

Total Rupees (in words) **ASF INSIGNIA SEZ PVT. LTD** Total Rs. **712800**

Bill No. & O. E. **ENTRY NO. 238** For **SONIA THAKRAN FUEL POINT KSK**

Terms & Condition :
 1. Goods once sold will not be taken back.
 2. All disputes are subject to Gurugram Jurisdiction.
 3. If payment not made within 15 days, interest @ 24% p.a. will be charged.



using water erasing paste on the top row.



Indian Oil Corporation Limited

INVOICE UNDER RULE 11 of Central Excise Rules

We hereby certify that the goods covered by this document have suffered applicable Taxes on clearance



Doc Name & number TAX INVOICE

20231525B016524

IN: 06611828894

Form No AC4 31A
Del Mode Road Delivered
Cont Code 11914560
D.S.DULE CARBON

SAP Entry no. 768474291
T.T.No. UP85BT0617
Den@15 830.80

Date 01-Jul-23
Time 10:18
Rem.Date/Time

Supplier
Code 1525 (CIN: L23201MH1959G01011388)
Name & Address Mathura Terminal
1525
Desig. Indian Oil Corporation Ltd
Mathura 281005
C.E. Rogn. AAACH1601GXM154
C.E. Range MATHURA REFINERY, MATHURA
C.E. Division A-8, KADAMB VIHAR, MATHURA
C.E. Commissionerate 113/4, SANJAY PLACE AGRA
PAN AAACH1601G
AAACH1601G
GST: LW/5085049 DT 26 LST: 09552100006

CONSIGNEE
Tin: 06611828894
253/34 (Mob No.: 9650595275)
ASF INSIGNIA SEZ PRIVATE LIMITED
EASLER CANTON BUILDWELL, PVT. LT
GWAL PAHARI, GURGAON FARIDABAD
GURGAON 122016
12068 Haryana
AACCC7149L

S.O. No: FNo.10/113/2007-SF/736/11 08 05 2023

Supplier TAN: DULI09652G

PAYEE: 253534 ASF INSIGNIA SEZ PRIVATE LIMITED

Item	Material Code / Material Description	Quantity	Unit	Rate	Unit	HSN code	Total
10	50700 USD BSVI	20.000	KL			2710 19 44*	
	ZAVI, Transaction Value	20.000	KL	63417.940	KL		1268358.80
	NET TRANSPORTATION CHARGES				INR		25607.96
	Tank no: T03D Density@ 15: 830.800					Total for material	1294056.78
	Sample no: 1525/01 07 2023/01						
	Bay No.: 13						
	ZIIND Rounding Difference						0.22
Total							1294057.00

Pl. - cm	DP - Cm	GT - m
173.1	132.3	5.00
179.1	133.0	5.00
172.8	130.0	5.00
170.9	138.6	5.00

ASF Insignia SEZ Pvt. Ltd.
INWARD/OUTWARD ENTRY
SI No. 1302
Time in. 1.61.00
Time Out.
Date 01/07/2023
Sign (Security)

ASF INSIGNIA SEZ PRIVATE LIMITED
INWARD ENTRY
DATE 01/07/2023
240
Sign

E.I. No 430009318

Delivery no. 0541982524 / Sales Order 0364174162

PO ref: 2306301613249952

DUTY PAYABLE : 5000

Seal/Lock no: 439 & 440 KEY: BLR T2 439 & BLR T2 440

This document is digitally signed

Signer: RANDHIR KUMAR BIND
Date: Sat, Jul 1, 2023 10:18:44 IST

Provisional Balance Subject to reconciliation: 70073.00 - (CR)

Contact No: 0047209523
Cont. City: 214 900
Cont. Fono: 60 000

INR Twelve lac ninety-four thousand fifty-seven only.

RECEIVED IN GOOD CONDITION
IOC has no liability. Recipient undertakes to supply for own use only & to indemnify IOC

PREPARED BY

PAGE No 1

duplicate for Assessee

Certified that the particulars given above are true and correct and the amount indicated represents the price actually charged and that there is no flow of additional consideration directly or indirectly from the buyer.
PRE-AUTHENTICATED BY

CUSTOMER'S SIGNATURE / SEAL

TRANSPORTER'S AUTH REP SIGNATURE/SEAL

00510401

AUTHORISED BY RELEASE BY

For INDIAN OIL CORPORATION LTD

BUDDY

TREIS SOLUTIONS LLP

First Floor, Tower B, ASF towers,
Plot no 249D, Udyog vihar Phase 4, Haryana - 122016

GSTIN: 06AALFT6964F1ZR

TAX INVOICE (U/S - 31(1) of CGST Act, 2017 read with Rule 1)

Ret Order No.	100228227-1	Original for Recipient
Invoice No.	100217421	Duplicate for Transporter
Delivery Date	19-07-2023	
State	Haryana	State Code :- 6

Detail of Recipient/Billed To		Detail of consignee/Address of Delivery/Shipped To	
Name	ASF INSIGNIA SEZ PVT LTD	Name	ASHISH SHARMA
Address	ASF Insignia , Gwal Pahari, Gurugram, Haryana 122003, India Bandhwari, Haryana, - 122005, IN Asset: ASF Insignia SEZ, Faridabad Gurgaon Road	Address	ASF INSIGNIA SEZ PVT LTD, ASF Insignia , Gwal Pahari, Gurugram, Haryana 122003, India Bandhwari, - 122005, Asset: ASF Insignia SEZ, Faridabad Gurgaon Road
GSTIN	06AACCC 7148L1ZG		
PAN			

PLACE OF BILLING		PLACE OF SUPPLY	
State:	Haryana	State:	Haryana
	State Code :- 6		State Code :- 6

Sr. No	Description of Goods/Services	HSN	Non Taxable Value	Taxable Value	CGST @9%	SGST @9%	IGST @18%
1	Net Fuel Delivery Services Fee:	996511		0.00	0.00	0.00	-
2	Diesel: 8000.00 Litres * Rs 90.11 per litre Fuel Discount : 8000.00 Litres * Rs 0.33 per litre Actual (After Discount):	271019	720880.00 (2800.00) 718080.00	718080.00	64627.20	64627.20	-
Total:			718080.00	718080.00	64627.20	64627.20	-

TOTAL VALUE (words):	Seven Hundred And Eighteen Thousand And Eighty Point Zero Zero	TOTAL VALUE in Rs	718080.00
----------------------	--	-------------------	-----------

Remarks :- Notification number availed if any.

ASF INSIGNIA SEZ PVT. LTD.
ENTRY NO. 271
DATE 19/07/2023
SIGNATURE: [Signature]

• Bank : ICICI BANK- New Friends Colony Branch
• Bank Account Number : 004605018219
• Bank IFSC : ICIC0000046

PAN No. AALFT6964F

1. Payment will be due upon delivery of fuel
2. For more detailed terms and conditions please visit our website <https://dev.fuelbuddy.in/terms-conditions> .

(Common Seal)

Certified that the particulars given are true and correct For Treis Solutions
Authorised Representative

This is a computer generated digital invoice and does not need signature.

TAX INVOICE

Mob: 9869144946
9869144947



SONIA THAKRAN FUEL POINT KSK

Dealer: INDIAN OIL CORPORATION

VIII. Mau, Teh. Patauldi, Gurugram-122106 (Haryana)

GSTIN : 06BBEPR3467A2ZT

TIN : 06891944946

Invoice No. **6546**

Date **14.08.2023**

M/s. **ASF Insignia Sez Pvt Ltd.**
ITS SEZ, Site: Gwal Khosi Gurugram
Faridabad, Gurugram Road Gurugram

GSTIN **CGAACCC71681129**

P.O. No. _____ Vehicle No.: **HR 35 S 8810**

Sl. No.	Description of Goods	QTY.	RATE	AMOUNT Rs.	P.
1.	H.S.D.	2000 lts.	89.90	719200	00
	Discount		0.80	6400	00
	Hydrometers - 807				
	Temp - 32.5°C	1665			
	Density - 819.4	14.55			
	14/08/2023				
	14/08/2023				
	*Payment Due Date _____				
	Vat & All Taxes Paid at the Source of JOC				
	ASF INSIGNIA SEZ PVT. LTD.				

Total Rupees (In words) _____ Total Rs. **712800**

E. & O. E. _____ For **SONIA THAKRAN FUEL POINT KSK**

Terms & Condition :
 1. Goods once sold will not be taken back.
 2. All disputes are subject to Gurugram Jurisdiction.
 3. If payment not made within 15 days, Interest @ 24% p.a. will be charged.



using Water finding taste on the dip stick.



IndianOil

TAX INVOICE

Mob.: 9899909003
9810903417

SONIA THAKRAN FUEL POINT KSK

Dealer : INDIAN OIL CORPORATION

VIII. Mau, Teh. Pataudi, Gurugram-122106 (Haryana)

GSTIN : 06BBEPR3467A2ZT

TIN : 06891944946

Invoice No. 6564

Date 23.08.2023

M/s. ASF Insignia SEZ Pvt Ltd.
ITS SEZ site:- Gwal Phasi Gurugram.
Fazidabad. Gurugram Road Gurugram (H/R)

GSTIN 06AAccc7148112G

P.O. No. _____ Vehicle No.: HR 55-S-2810

Sl. No.	Description of Goods	QTY.	RATE	AMOUNT Rs.	P.
1.	3275488 3275489 3279259 3279263 3272959 3279279	8000 Ltr.	89.90	719200	00
	H.S.D.				
	Discount		0.80	6400	00
<p>HYD = 812 TEMP. = 26.5 DENSITY = 891.1</p> <p>ASF Insignia SEZ Pvt Ltd. INWARD/OUTWARD ENTRY Sl No. 1748 Time 15:35 Date 23/08/2023 Sign (Security) <i>[Signature]</i></p> <p>*Payment Due Date _____</p> <p>Vat Inclusive</p>					

Total Rupees (In words) ASF INSIGNIA SEZ PVT LTD Total Rs. 712800-00

E. & O. E. ENTRY NO. 322
DATE 23/08/23 For **SONIA THAKRAN FUEL POINT KSK**
SIGN (SG/BRORE) *[Signature]*
Auth. Signatory 23/8/23

Terms & Condition :
1. Goods once sold will not be taken back.
2. All disputes are subject to Gurugram Jurisdiction.
3. If payment not made within 15 days, interest @ 24% p.a. will be charged.



BUDDY

TREIS SOLUTIONS LLP

First Floor, Tower B, ASF Towers
Plot no 249D, Udyog vihar Phase 4, Gurgaon - 122916

GSTIN: 06AALFT6964F1ZR

TAX INVOICE
(U/S - 31(1) of CGST Act, 2017 read with Rule 1)

Ret Order No:	40021141	Original for Recipient
Invoice No:	100243195	Duplicate for Transporter
Delivery Date:	18/09/2023	
State:	Haryana	State Code :- 6

Detail of Recipient Billed To		Detail of consignee/Address of Delivery Shipped To	
Name	ASF INSIGNIA SEZ PVT LTD	Name	ASHISH SHARMA
Address	ASF Insignia, Gwal Pahari, Gurgaon, Haryana 122003, India Bandhwari, Haryana - 122003, IN Asset: ASF Insignia SEZ, Faridabad - Gurgaon Road	Address	ASF INSIGNIA SEZ PVT LTD, ASF Insignia, Gwal Pahari, Gurgaon, Haryana 122003, India Bandhwari Asset: ASF Insignia SEZ, Faridabad - Gurgaon Road
GSTIN	06AALFT6964F1ZR		
PAN	AALFT6964F		

PLACE OF BILLING			PLACE OF SUPPLY		
State	Haryana	State Code :- 6	State	Haryana	State Code :- 6

Sr. No	Description of Goods/Services	HSN	Non Taxable Value	Taxable Value	CGST @9%	SGST @9%	IGST @18%
1	Net Fuel Delivery Services Fee.	996511		0.00	0.00	0.00	
2	Diesel: 6000.00 Litres * Rs 90.11 per litre Fuel Discount : 6000.00 Litres * Rs 0.35 per litre Actual (After Discount):	271019	540660.00 (2100.00) 538560.00	540660.00 1949 17380 18/09/2023 S.../...			
Total:			538560.00	0.00	0.00	0.00	

TOTAL VALUE (words):	Five Hundred And Thirty-eight Thousand, Five Hundred And Sixty Point Zero Zero	TOTAL VALUE in Rs	538560.00
----------------------	--	-------------------	-----------

Remarks :- Notification number availed if any

- Bank : ICICI BANK- New Friends Colony Branch
- Bank Account Number : 004605018219
- Bank IFSC : ICIC0000046

PAN No. AALFT6964F

1. Payment will be due upon delivery of fuel
2. For more detailed terms and conditions please visit our website <https://dev.fuelbuddy.in/terms-conditions>.



ASF INSIGNIA SEZ PVT. LTD
ENTRY NO. 335
DATE 18/09/2023
SIGN (GG/SRORE) S...



This is a computer generated digital invoice and does not need signature.

TAX INVOICE

Mob: 9850000003
9850000003

SONIA THAKRAN FUEL POINT KSK

Dealer: INDIAN OIL CORPORATION

Vill. Mau, Teh. Pataudi, Gurugram-122106 (Haryana)

GSTIN: 06BBEPR3467A2ZT

TIN: 06891944946

Invoice No. 6620

Date 23.09.2023

vs. A S F Insignia. Soz Pvt Ltd.
ITS SEZ Side Gwal Phasi Gurugram.
Faridabad - Gurugram Road Gurugram.

GSTIN 06AACC 7148 L1Z9

O. No.

Vehicle No.: HR-55-S-8810

Description of Goods	QTY.	RATE	AMOUNT Rs.	P.
3270694 H.S.D.	8000 Lit.	89.90	719200	00
3270683				
3270673		0.80	6400	00
3270672 Discount				
3270642				
3270610				
Hydro Meter - 818 Temp - 28.5°C Density - 827.5				
*Payment Due Date				
Vat & All Taxes Paid at the Source of IOCL				
Total Rupees (In words)		Total Rs.	712800	00

& O. E. ENTRY NO. 371
 DATE 23/09/2023
 For SONIA THAKRAN FUEL POINT KSK
 Signature: [Signature]
 Date: 23/09/23
 Signatory

Goods once sold will not be taken back
 All disputes are subject to Gurugram Jurisdiction.
 Payment not made within 15 days, interest @ 24% p.a. will be charged.

Paste on the Dip Rod. Absence of water ensured using Water Finding Paste on the Dip Rod.



TAX INVOICE

9912 9100000000
991090347



SONIA THAKRAN FUEL POINT KSK

Dealer: INDIAN OIL CORPORATION

Vill. Mau, Teh. Pataudi, Gurugram-122106 (Haryana)

GSTIN : 06BBEPR3467A2ZT

TIN : 06891944946

Invoice No. **6632**

Date: **28.09.2023**

M/s. **MSE Insignia Sez Pvt Ltd.**
M/S Sez Side Gwal Phasi Gurugram.
Faridabad - Gurugram Road Gurugram.

GSTIN **06AAEC 2148 U29**

P.O. No. _____ Vehicle No.: **HR 55-S-9810**

Sl. No.	Description of Goods	QTY.	RATE	AMOUNT Rs.	P.
1.	3270697 3270644 3270664 3270685 3270603 3270631 H.S.D. Discount	8000 Ltrs.	89.90	719200	02
			0.80	6400	02
Hydro Meter - 814 Temp: - 33°C Density - 826.7 2102 18:25 28/09/2023 [Signature]					
*Payment Due Date _____			Vat	Inclusive	

Vat & All Taxes Paid at the Source of **INSIGNIA SEZ PVT. LTD**

Total Rupees (In words) _____ Total Rs. **719800**

E. & O. E. _____ For **SONIA THAKRAN FUEL POINT KSK**

- Terms & Condition :
1. Goods once sold will not be taken back.
 2. All disputes are subject to Gurugram Jurisdiction.
 3. If payment not made within 15 days, interest @ 24% p.a. will be charged.



[Signature]
28/9/23
Auth. Signatory

using Water Finding Paste on the Dip Rod.

TAX INVOICE

Mob.: 9899909003
9810803417



SONIA THAKRAN FUEL POINT KSK

Dealer: INDIAN OIL CORPORATION

IndianOil

Vill. Mau, Teh. Pataudi, Gurugram-122106 (Haryana)

GSTIN : 06BBEPR3467A2ZT

TIN : 06891944946

Invoice No. **6633**

Date 30/9/23

M/s. ASF Insignia Sez Pvt Ltd
ITS Sez Sitc Gwal Phari Gurgaon
Fasidabad Gurgaon Road Gurgaon

GSTIN 06AAAC7148112G

P.O. No. _____

Vehicle No.: HR 55 S 8810

Sl. No.	Description of Goods	QTY.	RATE	AMOUNT Rs.	P.
1.	H.S.D.	8000 17R	89/90	719200 -	00
	Discount		0.80	6400 -	00
	3270657 3270699 3270605 3270696 3270633 3270604 ASF INSIGNIA SEZ PVT. L. ENTRY NO. 379 DATE 30/09/2023 (NON/SIG/ORDR) 5411 D - 825 T - 34 H - 812 2143 19:10 30/09/2023 SHIT				
	*Payment Due Date _____		Vat	Inclusive	
	Vat & All Taxes Paid at the Source of IOCL				

Total Rupees (In words) _____

Total Rs. 712800 - 00

E. & O. E.

For **SONIA THAKRAN FUEL POINT KSK**

Terms & Condition :

1. Goods once sold will not be taken back.
2. All disputes are subject to Gurugram Jurisdiction.
3. If payment not made within 15 days, interest @ 24% p.a. will be charged.

Auth. Signatory

using Water Finding Paste on the Dip Rod.





Office & Laboratory : 32441, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Stack Emission Analysis

Test Report No. : EKO/E-521/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description	: Stack Emission
Sample Drawn on	: 02/06/2023
Sample Drawn by	: EPEPL (Mr.Rajeev Sharma)
Sample Received on	: 02/06/2023
Time of Sampling (minutes)	: 30.0
Sampling Location	: BLDG-02
Sampling Plan & Procedure	: SOP-SE/09
Analysis Duration	: 02/06/2023 To 06/06/2023
Source of Emission	: St. Att. To DG Set No.6 (Engine No. 33182535)
Capacity	: 2000 KVA
Operating Load	: Normal
Normal Operation Schedule	: As per requirement
Type of Stack	: Metal/Circular
Diameter of Stack (meter)	: 0.4
Height of Stack from Ground Level (meter)	: 31.0
Height of Stack from Roof Level (meter)	: 18.0
Height of Sampling Location (meter)	: 12.5 From Ground Level
Type of Fuel Used	: HSD
Fuel Consumed per hour	: -
Ambient Temperature (°C)	: 34.0
Stack Temperature (°C)	: 245.0
Average Velocity of Flue Emission (m/sec)	: 13.3
Average Flow Rate (lpm)	: 17.4
Control Measures (if any)	: Nil
Remark (if any)	: NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	42.6	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	230.4	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	41.8	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	19.1	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.

Notes :

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

** End of Report **

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



TC-5063

Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA,
Contact No. : 9711158230, 9810240637, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in**TEST REPORT****Stack Emission Analysis**

Test Report No. : EKO/E-525/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003


Sample Description	: Stack Emission
Sample Drawn on	: 02/06/2023
Sample Drawn by	: EPEPL (Mr. Rajeev Sharma)
Sample Received on	: 02/06/2023
Time of Sampling (minutes)	: 30.0
Sampling Location	: BLDG-02
Sampling Plan & Procedure	: SOP-SE/09
Analysis Duration	: 02/06/2023 To 06/06/2023
Source of Emission	: St. Att. To DG Set No.7 (Engine No. 33181793)
Capacity	: 2000 KVA
Operating Load	: Normal
Normal Operation Schedule	: As per requirement
Type of Stack	: Metal/Circular
Diameter of Stack (meter)	: 0.4
Height of Stack from Ground Level (meter)	: 31.0
Height of Stack from Roof Level (meter)	: 18.0
Height of Sampling Location (meter)	: 12.5 From Ground Level
Type of Fuel Used	: HSD
Fuel Consumed per hour	: -
Ambient Temperature (°C)	: 34.0
Stack Temperature (°C)	: 248.0
Average Velocity of Flue Emission (m/sec)	: 13.4
Average Flow Rate (lpm)	: 18.7
Control Measures (if any)	: Nil
Remark (if any)	: NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	39.6	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	235.9	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	58.5	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	18.6	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.**Notes :**

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

**** End of Report ****



Contact : +91 - 9810243879

EKO PRO ENGINEERS PVT. LTD.
Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA,
Contact No. : 9711159210, 9810240837, 9810240878 Email : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in**TEST REPORT****Stack Emission Analysis**

Test Report No. : EKO/E-523/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description : Stack Emission
Sample Drawn on : 02/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Time of Sampling (minutes) : 30.0
Sampling Location : BLDG-02
Sampling Plan & Procedure : SOP-SE/09
Analysis Duration : 02/06/2023 To 06/06/2023
Source of Emission : St. Att. To DG Set No. 8 (Engine No. 33184129)
Capacity : 2000 KVA
Operating Load : Normal
Normal Operation Schedule : As per requirement
Type of Stack : Metal/Circular
Diameter of Stack (meter) : 0.4
Height of Stack from Ground Level (meter) : 31.0
Height of Stack from Roof Level (meter) : 18.0
Height of Sampling Location (meter) : 12.5 From Ground Level
Type of Fuel Used : HSD
Fuel Consumed per hour : -
Ambient Temperature (°C) : 34.0
Stack Temperature (°C) : 245.0
Average Velocity of Flue Emission (m/sec) : 13.5
Average Flow Rate (lpm) : 18.6
Control Measures (if any) : Nil
Remark (if any) : NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	39.4	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	231.7	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	46.8	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	19.1	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.**Notes :**

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

**** End of Report ****For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Contact : +91 - 9810243670

EKO PRO ENGINEERS PVT. LTD.Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in**TEST REPORT****Stack Emission Analysis**

Test Report No. : EKO/E-526/020623

Issue Date : 07/06/2022

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description	: Stack Emission
Sample Drawn on	: 02/06/2023
Sample Drawn by	: EPEPL (Mr. Rajeev Sharma)
Sample Received on	: 02/06/2023
Time of Sampling (minutes)	: 30.0
Sampling Location	: BLDG-02
Sampling Plan & Procedure	: SOP-SE/09
Analysis Duration	: 02/06/2023 To 06/06/2023
Source of Emission	: St. Att. To DG Set No. 9 (Engine No. 33184366)
Capacity	: 2000 KVA
Operating Load	: Normal
Normal Operation Schedule	: As per requirement
Type of Stack	: Metal/Circular
Diameter of Stack (meter)	: 0.4
Height of Stack from Ground Level (meter)	: 31.0
Height of Stack from Roof Level (meter)	: 18.0
Height of Sampling Location (meter)	: 12.5 From Ground Level
Type of Fuel Used	: HSD
Fuel Consumed per hour	: -
Ambient Temperature (°C)	: 34.0
Stack Temperature (°C)	: 250.0
Average Velocity of Flue Emission (m/sec)	: 13.3
Average Flow Rate (lpm)	: 18.5
Control Measures (if any)	: Nil
Remark (if any)	: NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	41.8	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	349.7	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	58.5	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	19.2	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.**Notes :**

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

** End of Report **

For EKO PRO ENGINEERS PVT. LTD.
★ PURNIMA CHAUDHAN
TECHNICAL MANAGER
(Authorised Signatory)



Contact | +91 - 9810243870

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory

(An ISO 9001:2015 Certified Company)

Office & Laboratory : 3241, South Side of G T Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in**TEST REPORT****Stack Emission Analysis**

Test Report No. : EKO/E-524/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description : Stack Emission
Sample Drawn on : 02/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Time of Sampling (minutes) : 30.0
Sampling Location : BLDG-02
Sampling Plan & Procedure : SOP-SE/09
Analysis Duration : 02/06/2023 To 06/06/2023
Source of Emission : St. Att. To DG Set No. 10 (Engine No. 33184159)
Capacity : 2000 KVA
Operating Load : Normal
Normal Operation Schedule : As per requirement
Type of Stack : Metal/Circular
Diameter of Stack (meter) : 0.4
Height of Stack from Ground Level (meter) : 31.0
Height of Stack from Roof Level (meter) : 18.0
Height of Sampling Location (meter) : 12.5 From Ground Level
Type of Fuel Used : HSD
Fuel Consumed per hour : -
Ambient Temperature (°C) : 34.0
Stack Temperature (°C) : 286.0
Average Velocity of Flue Emission (m/sec) : 14.5
Average Flow Rate (lpm) : 18.1
Control Measures (if any) : Nil
Remark (if any) : NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	37.8	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	346.4	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	51.8	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	18.9	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.**Notes :**

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

**** End of Report ****For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Contact No. - 91 - 9810243870

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/51, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA
Contact No. : 911159210, 9810240837, 9810249678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Stack Emission Analysis

Test Report No. : EKO/E-522/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description : Stack Emission
Sample Drawn on : 02/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Time of Sampling (minutes) : 30.0
Sampling Location : BLDG-03
Sampling Plan & Procedure : SOP-SE/09
Analysis Duration : 02/06/2023 To 06/06/2023
Source of Emission : St. Att. To DG Set No. 11 (Engine No. 33191596)
Capacity : 2000 KVA
Operating Load : Normal
Normal Operation Schedule : As per requirement
Type of Stack : Metal/Circular
Diameter of Stack (meter) : 0.4
Height of Stack from Ground Level (meter) : 31.0
Height of Stack from Roof Level (meter) : 18.0
Height of Sampling Location (meter) : 12.5 From Ground Level
Type of Fuel Used : HSD
Fuel Consumed per hour : -
Ambient Temperature (°C) : 34.0
Stack Temperature (°C) : 230.0
Average Velocity of Flue Emission (m/sec) : 13.8
Average Flow Rate (lpm) : 18.5
Control Measures (if any) : Nil
Remark (if any) : NA

RESULTS


S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	42.7	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	238.8	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	51.8	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	18.9	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.

Notes :

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

** End of Report **





Contact : 91 - 9910240979

EKO PRO ENGINEERS PVT. LTD.Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

TC-5063

Office & Laboratory : 32411, South Side of G. T. Road, UPSIDOC Industrial Area, Ghaziabad - 201 009 (Distt-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9910240678 E-mail : ena@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in**TEST REPORT****Stack Emission Analysis**

Test Report No. : EKO/E-520/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description	: Stack Emission
Sample Drawn on	: 02/06/2023
Sample Drawn by	: EPEPL (Mr. Rajeev Sharma)
Sample Received on	: 02/06/2023
Time of Sampling (minutes)	: 30.0
Sampling Location	: BLDG-03
Sampling Plan & Procedure	: SOP-SE/09
Analysis Duration	: 02/06/2023 To 06/06/2023
Source of Emission	: St. Att. To DG Set No. 12 (Engine No. 33191592)
Capacity	: 2000 KVA
Operating Load	: Normal
Normal Operation Schedule	: As per requirement
Type of Stack	: Metal/Circular
Diameter of Stack (meter)	: 0.4
Height of Stack from Ground Level (meter)	: 31.0
Height of Stack from Roof Level (meter)	: 18.0
Height of Sampling Location (meter)	: 12.5 From Ground Level
Type of Fuel Used	: HSD
Fuel Consumed per hour	: -
Ambient Temperature (°C)	: 34.0
Stack Temperature (°C)	: 255.0
Average Velocity of Flue Emission (m/sec)	: 13.3
Average Flow Rate (lpm)	: 18.2
Control Measures (if any)	: Nil
Remark (if any)	: NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	40.7	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	238.4	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	51.7	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	19.1	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.**Notes :**

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

**** End of Report ****



Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA
Contact No. : 9711159210, 9810240637, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Stack Emission Analysis

Test Report No. : EKO/E-527/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description : Stack Emission
Sample Drawn on : 02/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Time of Sampling (minutes) : 30.0
Sampling Location : BLDG-03
Sampling Plan & Procedure : SOP-SE/09
Analysis Duration : 02/06/2023 To 06/06/2023
Source of Emission : St. Att. To DG Set No. 13 (Engine No. 25394264)
Capacity : 2000 KVA
Operating Load : Normal
Normal Operation Schedule : As per requirement
Type of Stack : Metal/Circular
Diameter of Stack (meter) : 0.4
Height of Stack from Ground Level (meter) : 31.0
Height of Stack from Roof Level (meter) : 18.0
Height of Sampling Location (meter) : 12.5 From Ground Level
Type of Fuel Used : HSD
Fuel Consumed per hour : -
Ambient Temperature (°C) : 34.0
Stack Temperature (°C) : 265.0
Average Velocity of Flue Emission (m/sec) : 14.3
Average Flow Rate (lpm) : 17.7
Control Measures (if any) : Nil
Remark (if any) : NA

RESULTS


S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	45.7	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	330.4	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	60.7	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	19.5	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.

Notes :

- The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
- Responsibility of the Laboratory is limited to the invoiced amount only

**** End of Report ****





Contact : 81-9810240578

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/41, South Side of G T Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No : 9711155210, 9810240837, 9810240578 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Stack Emission Analysis

Test Report No. : EKO/E-519/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description	: Stack Emission
Sample Drawn on	: 02/06/2023
Sample Drawn by	: EPEPL (Mr. Rajeev Sharma)
Sample Received on	: 02/06/2023
Time of Sampling (minutes)	: 30.0
Sampling Location	: BLDG-03
Sampling Plan & Procedure	: SOP-SE/09
Analysis Duration	: 02/06/2023 To 06/06/2023
Source of Emission	: St. Att. To DG Set No. 14 (Engine No. 25394443)
Capacity	: 2000 KVA
Operating Load	: Normal
Normal Operation Schedule	: As per requirement
Type of Stack	: Metal/Circular
Diameter of Stack (meter)	: 0.4
Height of Stack from Ground Level (meter)	: 31.0
Height of Stack from Roof Level (meter)	: 18.0
Height of Sampling Location (meter)	: 12.5 From Ground Level
Type of Fuel Used	: HSD
Fuel Consumed per hour	: -
Ambient Temperature (°C)	: 34.0
Stack Temperature (°C)	: 238.0
Average Velocity of Flue Emission (m/sec)	: 14.2
Average Flow Rate (lpm)	: 17.9
Control Measures (if any)	: Nil
Remark (if any)	: NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	35.8	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	321.4	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	44.8	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	19.2	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.

Notes :

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the Invoiced amount only.

**** End of Report ****

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Contact : 91 - 9810243270

EKO PRO ENGINEERS PVT. LTD.Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)Office & Laboratory : 3044, South Side of G.T. Road, UPSIDC Industrial Area, Gurgaon - 201 009 (Delhi-NCR) INDIA.
Contact No: 9711159218, 9810240237, 9810240678 E-mail: email@ekopro.in, ekoproengnears@gmail.com, website: www.ekopro.in**TEST REPORT****Stack Emission Analysis**

Test Report No. : EKO/E-518/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description : Stack Emission
Sample Drawn on : 02/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Time of Sampling (minutes) : 30.0
Sampling Location : BLDG-03
Sampling Plan & Procedure : SOP-SE/09
Analysis Duration : 02/06/2023 To 06/06/2023
Source of Emission : St. Att. To DG Set No. 15 (Engine No. 25394260)
Capacity : 2000 KVA
Operating Load : Normal
Normal Operation Schedule : As per requirement
Type of Stack : Metal/Circular
Diameter of Stack (meter) : 0.4
Height of Stack from Ground Level (meter) : 31.0
Height of Stack from Roof Level (meter) : 18.0
Height of Sampling Location (meter) : 12.5 From Ground Level
Type of Fuel Used : HSD
Fuel Consumed per hour : -
Ambient Temperature (°C) : 34.0
Stack Temperature (°C) : 240.0
Average Velocity of Flue Emission (m/sec) : 14.1
Average Flow Rate (lpm) : 18.6
Control Measures (if any) : Nil
Remark (if any) : NA

RESULTS

S.No.	Parameters	Test Methods	Results	Units	Limits as per EPA-1986, (SL-96 Schedule-I)
1	Particulate Matter (as PM)	IS: 11255 (P-1)	34.5	mg/Nm ³	75.0
3	Oxide of Nitrogen (as NOx)	IS: 11255 (P-7)	232.8	ppmv	710.0
3	Carbon Monoxide (as CO)	USEPA (P-10)	44.6	mg/Nm ³	150.0
4	NMHC	IS : 5182 (P-21)	18.8	mg/Nm ³	100.0

Remark- PM, NOx, NMHC & CO at 15% O₂ Correction.**Notes :**

1. The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

**** End of Report ****



Contact : +91 9810240678

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : J241, South Side of G T, Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No. : 9711159210, 9810240637, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Noise Monitoring

Test Report No. : EKO/E-024/010823

Issue Date : 05/08/2023

Issued To

: ASF INSGNIA SEZ PVT. LTD.
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Gurugram Haryana-122003

Sample Description : DG Noise
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : DG Room- Building 02
Sampling Plan & Procedure : SOP-N/01
Analysis Duration : 01/08/2023 To 02/08/2023
Weather Condition : Normal
Remark (if any) : When DG Set was on

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per EPR-1986, amendments 15th March, 2011
1	Leq Inside DG Acoustic Room/Enclosure Near engine of DG Set	IS:9989	99.4	dB (A)	Insertion Loss should be >25 dB(A)
2	Leq Outside DG Acoustic Room/Enclosure At 0.5m distance from closed gate		72.5	dB (A)	
3	Leq Insertion Loss of the DG Acoustic Room/Enclosure		26.9	dB (A)	

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
* PURNIMA CHAUHAN *
TECHNICAL MANAGER
(Authorised Signatory)



Contact : 91 - 9810243830

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/41, South Side of G T Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA
Contact No - 9711159210, 9810240837, 9810240676 E-mail : email@ekopro.in ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT Noise Monitoring

Test Report No. : EKO/E-023/010823

Issue Date : 05/08/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Gurugram Haryana-122003

Sample Description : DG Noise
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : DG Room- Building 03
Sampling Plan & Procedure : SOP-N/01
Analysis Duration : 01/08/2023 To 02/08/2023
Weather Condition : Normal
Remark (if any) : When DG Set was on

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per EPR-1986, amendments 15th March, 2011
1	Leq Inside DG Acoustic Room/Enclosure Near engine of DG Set	IS:9989	100.9	dB (A)	Insertion Loss should be >25 dB(A)
2	Leq Outside DG Acoustic Room/Enclosure At 0.5m distance from closed gate		73.1	dB (A)	
3	Leq Insertion Loss of the DG Acoustic Room/Enclosure		27.8	dB (A)	

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Page 1 of 1



Office & Laboratory : 32/41, South Side of G T Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Ambient Air Quality Monitoring

Test Report No. : EKO/E-517/020623

Issue Date : 07/06/2023

Issued To : ASF INSIGNIA SEZ PVT. LTD.
Village - Gwal Pahari,
Gurgaon Faridabad Road
Gurugram Haryana- 122003

Sample Description : Ambient Air
Sample Drawn on : 01/06/2023 To 02/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : Near Konark Area
Sampling Time : 24.0 Hrs.
Sampling Plan & Procedure : SOP-AAQ/15
Analysis Duration : 02/06/2023 To 06/06/2023
Ambient Temperature (°C) : 34.0
Average Flow Rate of SPM (m³/min.) : 1.1
Average Flow Rate of Gases (lpm) : 1.0
Weather Conditions : Clear
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB Notification, 18th Nov 2009
1	Particulate Matter (PM10)	IS: 5182 (P-23)	198.6	µg/m ³	100.0
2	Particulate Matter (PM2.5)	IS:5182 (P-22)	110.7	µg/m ³	60.0
3	Sulphur Dioxide (as SO ₂)	IS: 5182 (P-2)	14.5	µg/m ³	80.0
4	Nitrogen Dioxide (as NO ₂)	IS: 5182 (P-6)	32.9	µg/m ³	80.0
5	Carbon Monoxide (as CO)	IS: 5182 (P-10)	1.22	mg/m ³	4.0

Notes :



- The results given above are related to the tested sample, for various parameters, as observed at the time of Sampling. The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

**** End of Report ****


For EKO PRO ENGINEERS PVT. LTD.





PHOTOGRAPH OF RAIN WATER HARVESTING PITS AT ASF INSIGNIA SEZ PVT. LTD





















DELUGE SYSTEM FOR AUTOMATED WATER CURTAIN



PORTABLE EXTINGUISHERS ON TROLLEY





SAND BUCKET WITH FIRE EXTINGUISHER




FIRE TENDER AND AMBULANCE






FIRE TENDER



EXTERNAL FIRE HYDRANT






DRAW IN - DRAW OUT CONNECTION




FHC






FIRE PUMP ROOM




FIRE PUMP ROOM WITH DG BACK-UP





ACV FOR AUTOMATED SPRINKLER





FIRE CONTROL ROOM





HARYANA STATE POLLUTION CONTROL BOARD

Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-2332775 Email:- hspcbrogrn@gmail.com E-mail: hspcb@hry.nic.in

No. HSPCB/Consent/ : 320303322GUNOCTO25902144

Dated:20/08/2022

To.

M/s :ASF INSIGNIA SEZ PVT. LTD. Building B2 (KCSPL) and Building B3(GCSPL)

Village Gwal Pahari, Gurgaon - Faridabad Road, Tehsil Wazirabad, District. Gurgaon

Subject: Grant of consent to operate to M/s ASF INSIGNIA SEZ PVT. LTD. Building B2 (KCSPL) and Building B3(GCSPL).

Please refer to your application no. 25902144 received on dated 2022-06-30 in regional office Gurgaon North. With reference to your above application for consent to operate, M/s ASF INSIGNIA SEZ PVT. LTD. Building B2 (KCSPL) and Building B3(GCSPL) is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	01/10/2022 - 30/09/2027
Industry Type	Industrial estates/ parks / complexes/ areas/ export processing zones/ SEZs/ Biotech parks/ leather complex
Category	RED
Investment(In Lakh)	82702.0
Total Land Area(Sq. meter)	26272.5
Total Builtup Area(Sq. meter)	161268.9
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	371.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Recycling/ reuse
2. Trade	
Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O&G	10 mg/l
5. pH	5.5-9.0
Trade Effluent Parameters	

1. NA	
Number of stacks	1
Height of stack	
1. Stack to DG set 2000 KVA x 10	6 Meter (Above roof level)
Emission parameters	
1. NA	
Product Details	
1. NA	Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. Diesel	2.41 KL/day
Raw Material Details	
NA	Metric Tonnes/Day

*Regional Officer, Gurgaon North
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.

9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. Unit will run and maintain it's STP/ETP/APCM regularly and properly, will provide separate energy meter on their STP/ETP/APCM and maintain the Log Book for energy consumption of STP/ETP/APCM and chemicals used daily for the STP/ETP.
2. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the Act
3. That the unit will adopt cleaner technology thereby reducing pollution load.
4. That the unit will provide inter locking arrangement of DG set with STP/ETP/APCM and shall have separate D.G. set to ensure regular and effective running of pollution control devices.
5. That the unit will not discharge any untreated effluent inside and outside its premises.
6. Unit will provide separate flow meter at Inlet/ Outlet of STP/ETP for which separate log book will be maintained if required.
7. That the unit will not add any air polluting process/ machinery and also not to add any process which increases the water pollution load.
8. That the unit will comply with all the provisions of Hazardous Waste Rules and submit return under HWM Rules on yearly basis.
9. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land.
10. Unit will apply for consent to operate for further period 90 days before expiry of this consent otherwise penalty will be imposed as per policy.
11. Unit will submit compliance report of general & specific conditions mentioned in CTO alongwith fresh analysis report within 03 months.
12. Unit will install Emission control measures on DG set of capacity more than 500 KVA having minimum specified PM capturing efficiency of atleast 70% approved by CPCB recognized labs or shift to gas based generator in compliance of HSPCB office order no. 4230-44 dated 25.06.2020.
13. Unit will deposit any balance CTE/CTO fee, if found at any stage and time.

KULDEEP SINGH Digitally signed by KULDEEP
SINGH
Date: 2022.08.20 21:27:51 +05'30'
Regional Officer, Gurgaon North
Haryana State Pollution Control Board.



Haryana State Pollution Control Board

Gurgaon North Vikas Sadan, 1st Floor, Near DC Court, Gurgaon Ph.0124-2332775 Email:- hspcbrogrn@gmail.com



No. :HWM/GUNO/2022/16670070

DT: 20/08/2022

To

M/s ASF INSIGNIA SEZ PVT. LTD. Building B2 (KCSPL) and Building B3(GCSPL)
Village Gwal Pahari, Gurgaon - Faridabad Road, Tehsil Wazirabad, District. Gurgaon
Gurgaon north

Sub: Grant of Authorization under Hazardous and Other Wastes(Management & Transboundry Movement) Rules, 2016

1. Reference of application:16670070 dated: 20/08/2022
2. Anil Sharma of ASF INSIGNIA SEZ PVT. LTD. Building B2 (KCSPL) and Building B3(GCSPL) is hereby granted an authorization for generation, storage on the premises situated at Village Gwal Pahari, Gurgaon - Faridabad Road, Tehsil Wazirabad, District. Gurgaon

Details of Authorization

S.No.	Name of process and Category of Hazardous Waste as per the Schedules I, II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc.	Quantity
1	Industrial operations using mineral/synthetic oil as lubricant in hydraulic systems or other applications, Used/spent oil	Authorized recyclers	2.86 KL/Annu m

1. The authorization shall be valid for a period of 01/10/2022 to 30/09/2027
2. The authorization is subject to the following general and specific conditions :-
 1. The unit will submit the Annual Report under HWM Rules by 30th June and Environment Statement by 30th September every year. 2. Unit will apply for renewal of consent/Authorization at least 90 days before expiry date of the consent/Authorization. 3. The hazardous waste generated by the unit will be disposed off through authorized TSDF/recyclers / Refiners of hazardous waste. 4. Unit will comply all the applicable Law/Acts/CPCB directions under the HWM, Rules 2016 time to time, Unit will submit Annual Return under HWM, Rules timely. 5. Unit will maintain the record of storage and sold out the waste/spent oil of dg sets and same will submit in board on yearly basis. 6. That the authorization under HWM rules so granted shall become invalid in case of violation of any of the above / any law of the land. 7. Unit will generate online manifest regarding lifting of Hazardous Waste. 8) Unit is directed to comply with all the conditions invoked in authorization granted, failing which authorization granted will be suspended /revoked.

**Regional Officer Gurgaon North
For Haryana State Pollution Control Board**

Conditions of Authorization:

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
4. Any unauthorised change in personnel equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of this authorization.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. An application for the renewal of an authorization shall be made as laid down under these Rules.
8. Any other conditions for compliance as per the guidelines issued by the Ministry of Environment, Forest and Climate Changes or Central Pollution Control Board from time to time.
9. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.
10. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
11. The imported hazardous and other wastes shall be fully insured for transit as well for any accidental occurrence and its clean-up operation.
12. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
13. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific condition of authorisation.
14. The importer or exporter shall bear the cost of import and mitigation of damages if any.

KULDEEP SINGH Digitally signed by KULDEEP SINGH
Date: 2022.08.20 21:46:59 +05'30'
**Regional Officer Gurgaon North
For Haryana State Pollution Control Board**



**HARYANA STATE POLLUTION CONTROL
BOARD**
Gurgaon North Vikas Sadan, 1st Floor, Near DC
Court, Gurgaon Ph.0124-2332775 Email:-
hspcbrogrn@gmail.com
E-mail: hspcb@hry.nic.in

No. HSPCB/Consent/ : 329993522GUNOCTOW19397394

Dated:02/02/2022

To,

M/s :ASF Insignia SEZ Pvt. Ltd. IDR Residential
Village Gwal Pahari, Gurgaon-Faridabad Road Tehsil Wazirabad Gurugram

Subject: Grant of consent to operate to M/s ASF Insignia SEZ Pvt. Ltd. IDR Residential.

Please refer to your application no. 19397394 received on dated 2021-12-28 in regional office Gurgaon North. With reference to your above application for consent to operate, M/s ASF Insignia SEZ Pvt. Ltd. IDR Residential is hereby granted consent as per following specification/Terms and conditions.

Consent Under	WATER
Period of consent	01/04/2022 - 31/03/2025
Industry Type	Sewage treatment plant having capacity 10 KLD or more but less than 100 KLD
Category	ORANGE
Investment(In Lakh)	15825.0
Total Land Area(Sq. meter)	8558.696
Total Builtup Area(Sq. meter)	25411.62
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	42.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	Reuse/Recycle
2. Trade	
Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
4. O&G	10 mg/l
5. pH	5.5-9.0
Trade Effluent Parameters	
1. NA	
Number of stacks	1
Height of stack	

1. NA	
Emission parameters	
1. NA	
Product Details	
1. NA	Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. NA	
Type of Fuel	
1. NA	
Raw Material Details	
NA	Metric Tonnes/Day

*Regional Officer, Gurgaon North
Haryana State Pollution Control Board.*

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.

10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh consent application alongwith the consent to operate fee, if found due, which may be on any account and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.
11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. Unit will run and maintain it's STP/APCM regularly and properly, will provide separate energy meter on their STP/APCM and maintain the Log Book for energy consumption of STP/APCM and chemicals used daily for the STP.
2. That the unit shall keep all the parameters within the prescribed limits and shall comply with all the Norms and Rules as prescribed in the Act 3. That the unit will adopt cleaner technology thereby reducing pollution load.
4. That the unit will provide inter locking arrangement of DG set with STP/APCM and shall have separate D.G. set to ensure regular and effective running of pollution control devices.
5. That the unit will not discharge any untreated effluent inside and outside its premises.
6. Unit will provide separate flow meter at Inlet/ Outlet of STP for which separate log book will be maintained if required.
7. That the unit will not add any air polluting process/ machinery and also not to add any process which increases the water pollution load.
8. That the unit will comply with all the provisions of Hazardous Waste Rules and submit return under HWM Rules on yearly basis.
9. That the CTO so granted shall become invalid in case of violation of any of the above / any law of the land.
10. Unit will apply for consent to operate for further period 90 days before expiry of this consent otherwise penalty will be imposed as per policy.
11. Unit will submit compliance report of general & specific conditions mentioned in CTO alongwith fresh analysis report within 03 months.
12. Unit will deposit any balance CTE/CTO fee, if found at any stage and time.

KULDEEP SINGH

Digitally signed by KULDEEP
SINGH
Date: 2022.02.02 09:10:53 +05'30'

*Regional Officer, Gurgaon North
Haryana State Pollution Control Board.*



EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory: 32/41, South Side of G.T. Road, UPDCC Industrial Area, Gurgaon - 201 001 (Delhi-NCR) INDIA.
Contact No.: 0122-250210, 9810224957, 9910224957/1 | E-mail: enquiry@eko-pro.com, info@eko-pro.com, eko@eko-pro.com | Website: www.eko-pro.com

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-123/030423

Issue Date : 07/04/2023

Issued To :

ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh. Wazirabad, Gurugan-122003

Sample Description : STP Inlet
Sample Drawn on : 03/04/2023
Sample Drawn by : EPEPL (Mr. Amit kumar)
Sample Received on : 03/04/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 03/04/2023 To 07/04/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.22	-
2	Total Suspended Solids	IS: 3025 (P-17)	156.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	14.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	360.2	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	126.0	mg/L

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER

S/1 (Authorised Signatory)





TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-121/030423

Issue Date : 07/04/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 03/04/2023
Sample Drawn by : EPEPL (Mr. Amit kumar)
Sample Received on : 03/04/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 03/04/2023 To 07/04/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.25	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	19.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	38.6	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	8.8	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





Office & Laboratory : 12/41, South Side of D-1 Road, UPSIDC Industrial Area, Gurgaon - 201 001 (Haryana) INDIA
Contact No. 9811198919, 9810240832, 9810140829 E-mail: eko@ekopro.in, ekoenv@ekopro.in, ekoanaly@ekopro.in, Website: www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-124/030423

Issue Date : 07/04/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaoon-122003

Sample Description : STP Inlet
Sample Drawn on : 03/04/2023
Sample Drawn by : EPEPL (Mr. Amit kumar)
Sample Received on : 03/04/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 03/04/2023 To 07/04/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.15	-
2	Total Suspended Solids	IS: 3025 (P-17)	146.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	14.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	282.6	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	90.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
★ PURNIMA MAHIAN ★
TECHNICAL MANAGER
(Authorised Signatory)





EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory: SMI, South Side of G.T. Road, DYSIDC Industrial Area, Gurgaon-122003 (Haryana) INDIA
Contact No: 011-26121010, 011-26121037, 08-02405731 Email: info@eko-pro.com, enquiry@eko-pro.com, website: www.eko-pro.com

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-122/030423

Issue Date : 07/04/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 03/04/2023
Sample Drawn by : EPEPL (Mr. Amit kumar)
Sample Received on : 03/04/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 03/04/2023 To 07/04/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.18	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	20.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	43.6	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.7	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
RURNIMA CHAUDHARI
TECHNICAL MANAGER
(Authorised Signatory)





EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory: 22nd South Side of G.T. Road, UPSID/C Industrial Area, Gurgaon-122003, INDIA
Contact No: 9711150010, 9810240047, 9810240678. Email: analysis@eko.pro, eko@eko.pro, eko@eko.pro Website: www.eko.pro

TEST REPORT Effluent Sample Analysis

Test Report No. : EKO/E-127/030423

Issue Date : 07/04/2023

Issued To :

ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Inlet
Sample Drawn on : 03/04/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 03/04/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 03/04/2023 To 07/04/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.18	-
2	Total Suspended Solids	IS: 3025 (P-17)	280.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	15.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	524.1	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	181.0	mg/L

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
- The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUDHAN
* TECHNICAL MANAGER *
(Authorised Signatory)





EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(As ISO 9001:2015 Certified Company)

Office & Laboratory : 22nd Floor, Sector of G-1 Road, UPSID-C Industrial Area, Ghaziabad - 201 007 (Uttar Pradesh), INDIA.
Contact No. : 011-2500119, 011-2540837, 9510240578. E-mail : analysis@eko-pro.com, info@eko-pro.com, eco@eko-pro.com

TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-128/030423

Issue Date : 07/04/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 03/04/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 03/04/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 03/04/2023 To 07/04/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.17	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	39.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	52.9	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.8	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





Contact : +91 9810240370

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory

(An ISO 9001:2015 Certified Company)

Office & Laboratory: 32/1st, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Ghaziabad) INDIA
Contact No. : 91150240370, 9810240370, 9810240378. E-mail : mailto:info@eko.pro, enviro@eko.pro, analytical@eko.pro website : www.eko.pro

TEST REPORT Sewage Sample Analysis

Test Report No. : EKO/E-510/020523

Issue Date : 06/05/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Inlet
Sample Drawn on : 02/05/2023
Sample Drawn by : EPEPL (Mr. Ranjan Shah)
Sample Received on : 02/05/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/05/2023 To 06/05/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.16	-
2	Total Suspended Solids	IS: 3025 (P-17)	158.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	15.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	364.8	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	128.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA GHOSHAN
TECHNICAL MANAGER
(Authorised Signatory)





Contact : 91 - 9810243870

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory: 32/11, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 005 (Delhi-NCR) INDIA
Contact No: 9711159210, 9810243837, 9810240678 E-mail: email@eko.pro.in, ekoproengineers@gmail.com, website: www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-508/020523

Issue Date : 06/05/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaoon-122003

Sample Description : STP Outlet
Sample Drawn on : 02/05/2023
Sample Drawn by : EPEPL (Mr. Ranjan Shah)
Sample Received on : 02/05/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/05/2023 To 06/05/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.21	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	21.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	40.6	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	8.9	mg/L	30.0

- Notes:
- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
 - This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
 - The test report will not be used for any publicity/legal purpose.
 - The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
 - Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Page 1 of 1



TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-511/020523

Issue Date : 06/05/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugan-122003

Sample Description	: STP Inlet
Sample Drawn on	: 02/05/2023
Sample Drawn by	: EPEPL (Mr. Ranjan Shah)
Sample Received on	: 02/05/2023
Sampling Location	: From STP Plant B3 (530 KLD)
Sampling Plan & Procedure	: SOP-W/66
Sample Quantity	: 1.0 Litre
Environmental Condition	: Normal
Analysis Duration	: 02/05/2023 To 06/05/2023
Remark (if any)	: NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.18	-
2	Total Suspended Solids	IS: 3025 (P-17)	149.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	13.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	288.4	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	92.0	mg/L

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





Contact : 91 9810240670

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 3241, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Distt. NCR) INDIA
Contact No. : 9711159210, 9810240670, 9810240678 E-mail : email@ekopro.in ekoproengineers@gmail.com website : www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-509/020523

Issue Date : 06/05/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 02/05/2023
Sample Drawn by : EPEPL (Mr. Ranjan Shah)
Sample Received on : 02/05/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/05/2023 To 06/05/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.22	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	22.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	45.8	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.5	mg/L	30.0

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.

The customer asked for the above tests only.

2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUDHAN
TECHNICAL MANAGER
(Authorised Signatory)



Page 1 of 1



TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-504/020523

Issue Date : 06/05/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Inlet
Sample Drawn on : 02/05/2023
Sample Drawn by : EPEPL (Mr. Ranjan Shah)
Sample Received on : 02/05/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/05/2023 To 06/05/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units
1	pH	IS: 3025 (P-11)	7.16	-
2	Total Suspended Solids	IS: 3025 (P-17)	284.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	16.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	520.6	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	183.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





Contact : +91 - 9810240678

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 3241, South Side of G. T. Road, UPSIDC Industrial Area, Ghazabad - 201 002 (Delhi-NCR) INDIA.
Contact No : 911159210, 9810240677, 9810240678 E-mail : ekopro@ekopro.in, ekoproengineers@gmail.com website : www.ekopro.in

TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-505/020523

Issue Date : 06/05/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 02/05/2023
Sample Drawn by : EPEPL (Mr. Ranjan Shah)
Sample Received on : 02/05/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/05/2023 To 06/05/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.21	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	41.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	50.8	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.6	mg/L	30.0

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.

The customer asked for the above tests only.

- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Page 1 of 1



Contact : 01 - 9810243870

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA,
Contact No : 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-530/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Inlet
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.24	-
2	Total Suspended Solids	IS: 3025 (P-17)	130.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	14.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	320.5	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	102.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
FURNIMA DHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





Contact : +91 - 9810242820

EKO PRO ENGINEERS PVT. LTD.
Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-528/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr.Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.42	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	18.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	36.9	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	8.4	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

RURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Page 1 of 1



Contact : 91 - 9810240870

EKO PRO ENGINEERS PVT. LTD.
Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA
Contact No. : 9711159210, 9810240837, 9810240678 E-mail : enrala@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-531/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description	: STP Inlet
Sample Drawn on	: 01/06/2023
Sample Drawn by	: EPEPL (Mr.Rajeev Sharma)
Sample Received on	: 02/06/2023
Sampling Location	: From STP Plant B3 (530 KLD)
Sampling Plan & Procedure	: SOP-W/66
Sample Quantity	: 2.0 Litre
Environmental Condition	: Normal
Analysis Duration	: 02/06/2023 To 06/06/2023
Remark (if any)	: NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.35	-
2	Total Suspended Solids	IS: 3025 (P-17)	136.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	13.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	280.7	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	88.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
2. The customer asked for the above tests only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
4. The test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
6. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Page 1 of 1



Contact : +91 - 9810243870

EKO PRO ENGINEERS PVT. LTD.Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Distt-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in**TEST REPORT****Sewage Sample Analysis**

Test Report No. : EKO/E-529/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahar,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr.Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.42	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	17.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	40.7	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.8	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)

Page 1 of 1



Contact : 91 - 9810240370

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 9/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA
Contact No : 9711159210, 9810240337, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-006/010623

Issue Date : 05/06/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Inlet
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 01/06/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/06/2023 To 05/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units
1	pH	IS: 3025 (P-11)	7.24	-
2	Total Suspended Solids	IS: 3025 (P-17)	281.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	15.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	516.7	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	185.0	mg/L

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Page 1 of 1



Contact : +91 - 9810243870

EKO PRO ENGINEERS PVT. LTD.
Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA,
Contact No : 9711159210, 9810240337, 9510249678 E-mail : email@ekopro.in, ekopropengineers@gmail.com, website : www.ekopro.in**TEST REPORT**
Effluent Sample Analysis

Test Report No. : EKO/E-007/010623

Issue Date : 05/06/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 01/06/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/06/2023 To 05/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.18	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	39.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	48.4	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.7	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)

Page 1 of 1



Office & Laboratory: 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Gurgaon - 201 309 (Delhi-NCR) INDIA.
Contact No. : 9711158210, 9810240837, 9810240675 E-mail : eneco@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT**Sewage Sample Analysis**

Test Report No. : EKO/E-524/040723

Issue Date : 08/07/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Inlet
Sample Drawn on : 04/07/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 04/07/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 04/07/2023 To 08/07/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.21	-
2	Total Suspended Solids	IS: 3025 (P-17)	134.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	15.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	316.8	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	104.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





Office & Laboratory - 12-41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 003 (Delhi-NCR) INDIA
Contact No - 9711159210, 9810240637, 9810240678. E-mail - email@ekopro.in, ekoproengineers@gmail.com, website - www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-522/040723**Issue Date : 08/07/2023**

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 04/07/2023
Sample Drawn by : EPEPL (Mr. Ranjan Kumar)
Sample Received on : 04/07/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 04/07/2023 To 08/07/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.38	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	20.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	38.4	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	8.8	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
*TECHNICAL MANAGER
(Authorised Signatory)





Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA
Contact No : 9711159210, 9810240837, 9810240578 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-525/040723

Issue Date : 08/07/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Inlet
Sample Drawn on : 04/07/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 04/07/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 04/07/2023 To 08/07/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11)	7.29	-
2	Total Suspended Solids	IS: 3025 (P-17)	139.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	14.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	274.6	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	90.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

RURNIMA CHAUHAN

S. TECHNICAL MANAGER

(Authorised Signatory)



Office & Laboratory : 9241, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No. 9711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in**TEST REPORT****Sewage Sample Analysis**

Test Report No. : EKO/E-523/040723

Issue Date : 08/07/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 04/07/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 04/07/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 04/07/2023 To 08/07/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.35	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	19.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-56)	42.8	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.6	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)

Office & Laboratory : 3241 South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No. : 0711159210, 9810240837, 9810240678 E-mail : email@ekopro.in, ekopronghaziabo@gmail.com, website : www.ekopro.in**TEST REPORT**
Effluent Sample Analysis

Test Report No. : EKO/E-518/040723

Issue Date : 08/07/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Inlet
Sample Drawn on : 04/07/2023
Sample Drawn by : EPEPL (Mr. Ranjan Shah)
Sample Received on : 04/07/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 04/07/2023 To 08/07/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units
1	pH	IS: 3025 (P-11)	7.21	-
2	Total Suspended Solids	IS: 3025 (P-17)	284.0	mg/L
3	Oil & Grease	IS: 3025 (P-39)	16.0	mg/L
4	COD (as O ₂)	IS: 3025 (P-58)	510.4	mg/L
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	187.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)



Office & Laboratory : 32/41, South Side of G-1, Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR), INDIA.
Contact No: 971159219, 9810240537, 9810240678 E-mail : email@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT**Effluent Sample Analysis**Test Report No. : **EKO/E-519/040723**Issue Date : **08/07/2023**

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 04/07/2023
Sample Drawn by : EPEPL (Mr. Ranjan Shah)
Sample Received on : 04/07/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 04/07/2023 To 08/07/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11)	7.16	-	5.5-9.0
2	Total Suspended Solids	IS: 3025 (P-17)	41.0	mg/L	100.0
3	Oil & Grease	IS: 3025 (P-39)	<4.0	mg/L	10.0
4	COD (as O ₂)	IS: 3025 (P-58)	46.3	mg/L	250.0
5	BOD (@27°C for 3 days)	IS: 3025 (P-44)	9.5	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





Contact: 011 9810249878

EKO PRO ENGINEERS PVT. LTD.Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)Office & Laboratory - 32/51, South Side of G.T. Road, UPSIDC Industrial Area, Unazabad - 201 009 (Delhi-NCR) INDIA
Contact No - 0111559210, 9810249878, 9810249878 E-mail - info@ekopro.in, ekoproengineers@gmail.com website: www.ekopro.in**TEST REPORT**
Sewage Sample Analysis

Test Report No. : EKO/E-020/010823

Issue Date : 05/08/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Inlet
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/08/2023 To 05/08/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11) 2.0: 2022	7.18	-
2	Total Suspended Solids	IS:3025(Part-17): 2022	136.0	mg/L
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	16.0	mg/L
4	COD (as O ₂)	IS 3025 (Part 58): 2006	320.4	mg/L
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	107.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
2. The customer asked for the above tests only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
4. The test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.

****End of Report****For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUDHARI
TECHNICAL MANAGER
(Authorised Signatory)

Page 1 of 1



Contact : 9810240837

EKO PRO ENGINEERS PVT. LTD.

Environmental Consultants and Analytical Laboratory

(An ISO 9001:2015 Certified Company)

Office & Laboratory : 3241, South Side of G T Road, UPSIDC Industrial Area, Gurgaon - 201 009 (Delhi-NCR) INDIA
Contact No : 9711159210, 9810240837, 9810240878 E-mail : email@ekopro.in, ekoproengineers@gmail.com website : www.ekopro.in**TEST REPORT****Sewage Sample Analysis**

Test Report No. : EKO/E-018/010823

Issue Date : 05/08/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/08/2023 To 05/08/2023
Remark (if any) : NA

RESULTS


S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11) 2.0: 2022	7.31	-	5.5-9.0
2	Total Suspended Solids	IS:3025(Part-17): 2022	22.0	mg/L	100.0
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	<4.0	mg/L	10.0
4	COD (as O ₂)	IS 3025 (Part 58): 2006	42.6	mg/L	250.0
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	9.1	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.



Page 1 of 1



Contact : 91 - 9810240678

EKO PRO ENGINEERS PVT. LTD.
Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC- Industrial Area, Ghazabad - 201 001 (Delhi-NCR) INDIA
Contact No. : 0711532510, 9810240678, 9810240678. E-mail : email@ekopro.in ekoproengineers@gmail.com website : www.ekopro.in

TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-021/010823

Issue Date : 05/08/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Inlet
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/08/2023 To 05/08/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11) 2.0: 2022	7.24	-
2	Total Suspended Solids	IS:3025(Part-17): 2022	137.0	mg/L
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	15.0	mg/L
4	COD (as O ₂)	IS 3025 (Part 58): 2006	280.5	mg/L
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	92.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
2. The customer asked for the above tests only.
3. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
4. The test report will not be used for any publicity/legal purpose.
5. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
6. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.

PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorized Signatory)



Page 1 of 1



Contact: 91 9810240678

EKO PRO ENGINEERS PVT. LTD.Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)Office & Laboratory : 32/41, South Side of G.T. Road, UPSIDC Industrial Area, Ghazabad - 201 009 (Delhi-NCR) INDIA.
Contact No.: 911159210, 9810240637, 9810240678. E-mail: ekopro@ekopro.in ekoproengineers@gmail.com, website: www.ekopro.in**TEST REPORT****Sewage Sample Analysis**

Test Report No. : EKO/E-019/010823

Issue Date : 05/08/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/08/2023 To 05/08/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11) 2.0: 2022	7.28	-	5.5-9.0
2	Total Suspended Solids	IS:3025(Part-17): 2022	20.0	mg/L	100.0
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	<4.0	mg/L	10.0
4	COD (as O ₂)	IS 3025 (Part 58): 2006	40.6	mg/L	250.0
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	9.3	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.



Page 1 of 1



Contact : 91 - 9910240678

EKO PRO ENGINEERS PVT. LTD.
Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory : 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA
Contact No. : 91-11-50210, 9810240837, 9810240678 E-mail : amal@ekopro.in, ekoproengineers@gmail.com, website : www.ekopro.in

TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-003/010823

Issue Date : 05/08/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Inlet
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/08/2023 To 05/08/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units
1	pH	IS: 3025 (P-11) 2.0: 2022	7.18	-
2	Total Suspended Solids	IS:3025(Part-17): 2022	292.0	mg/L
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	15.0	mg/L
4	COD (as O ₂)	IS 3025 (Part 58): 2006	504.8	mg/L
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	185.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.



Page 1 of 1



Contact - 91 9810240670

EKO PRO ENGINEERS PVT. LTD.
Environmental Consultants and Analytical Laboratory
(An ISO 9001:2015 Certified Company)

Office & Laboratory - 32/41, South Side of G. T. Road, UPSIDC Industrial Area, Ghaziabad - 201 009 (Delhi-NCR) INDIA.
Contact No : 9711159210, 9810240837, 9810240678. E-mail : ama@ekopro.in, ekoproengineers@gmail.com website : www.ekopro.in

TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-004/010823

Issue Date : 05/08/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/08/2023
Sample Drawn by : EPEPL (Mr. Amit Kumar)
Sample Received on : 01/08/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/08/2023 To 05/08/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11) 2.0: 2022	7.26	-	5.5-9.0
2	Total Suspended Solids	IS:3025(Part-17): 2022	44.0	mg/L	100.0
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	<4.0	mg/L	10.0
4	COD (as O ₂)	IS 3025 (Part 58): 2006	43.9	mg/L	250.0
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	9.3	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****



Page 1 of 1



TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-011/010923

Issue Date : 05/09/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugaoon-122003

Sample Description : STP Inlet
Sample Drawn on : 01/09/2023
Sample Drawn by : EPEPL (Mr. Rahul Kumar)
Sample Received on : 01/09/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/09/2023 To 05/09/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11) 2.0: 2022	7.16	-
2	Total Suspended Solids	IS:3025(Part-17): 2022	140.0	mg/L
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	15	mg/L
4	COD (as O ₂)	IS 3025 (Part 58): 2006	316.2	mg/L
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	105.0	mg/L

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-009/010923

Issue Date : 05/09/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh. Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/09/2023
Sample Drawn by : EPEPL (Mr. Rahul Kumar)
Sample Received on : 01/09/2023
Sampling Location : From STP Plant B2 (310 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/09/2023 To 05/09/2023
Remark (if any) : NA

RESULTS


S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11) 2.0: 2022	7.24	-	5.5-9.0
2	Total Suspended Solids	IS:3025(Part-17): 2022	21.0	mg/L	100.0
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	<4.0	mg/L	10.0
4	COD (as O ₂)	IS 3025 (Part 58): 2006	40.5	mg/L	250.0
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	8.8	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.





TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-012/010923

Issue Date : 05/09/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugan-122003

Sample Description	: STP Inlet
Sample Drawn on	: 01/09/2023
Sample Drawn by	: EPEPL (Mr. Rahul Kumar)
Sample Received on	: 01/09/2023
Sampling Location	: From STP Plant B3 (530 KLD)
Sampling Plan & Procedure	: SOP-W/66
Sample Quantity	: 2.0 Litre
Environmental Condition	: Normal
Analysis Duration	: 01/09/2023 To 05/09/2023
Remark (if any)	: NA

RESULTS

S. No.	Parameters	Test Method	Results	Units
1	pH	IS: 3025 (P-11) 2.0: 2022	7.21	-
2	Total Suspended Solids	IS:3025(Part-17): 2022	135.0	mg/L
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	14.0	mg/L
4	COD (as O ₂)	IS 3025 (Part 58): 2006	287.4	mg/L
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	94.0	mg/L

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
RURNIMA CHAUDHAN
TECHNICAL MANAGER
(Authorised Signatory)





TEST REPORT

Sewage Sample Analysis

Test Report No. : EKO/E-010/010923

Issue Date : 05/09/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurugan-122003

Sample Description : STP Outlet
Sample Drawn on : 01/09/2023
Sample Drawn by : EPEPL (Mr. Rahul Kumar)
Sample Received on : 01/09/2023
Sampling Location : From STP Plant B3 (530 KLD)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 2.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/09/2023 To 05/09/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11) 2.0: 2022	7.25	-	5.5-9.0
2	Total Suspended Solids	IS:3025(Part-17): 2022	22.0	mg/L	100.0
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	<4.0	mg/L	10.0
4	COD (as O ₂)	IS 3025 (Part 58): 2006	38.9	mg/L	250.0
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	9.1	mg/L	30.0

Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
TECHNICAL MANAGER
(Authorised Signatory)





TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-007/010923

Issue Date : 05/09/2023

Issued To

: ASF INSIGNIA SEZ ITES,
Village- Gwal Pahari,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Inlet
Sample Drawn on : 01/09/2023
Sample Drawn by : EPEPL (Mr. Rahul Kumar)
Sample Received on : 01/09/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/09/2023 To 05/09/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units
1	pH	IS: 3025 (P-11) 2.0: 2022	7.22	-
2	Total Suspended Solids	IS:3025(Part-17): 2022	290.0	mg/L
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	14.0	mg/L
4	COD (as O ₂)	IS 3025 (Part 58): 2006	498.4	mg/L
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	183.0	mg/L

Notes :

1. The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
2. This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
3. The test report will not be used for any publicity/legal purpose.
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
5. Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA DHALAN
TECHNICAL MANAGER
(Authorised Signatory)





TEST REPORT

Effluent Sample Analysis

Test Report No. : EKO/E-006/010923

Issue Date : 05/09/2023

Issued To : ASF INSIGNIA SEZ ITES,
Village- Gwal Pahar,
Gurgaon Faridabad Road,
Sub Teh Wazirabad, Gurgaon-122003

Sample Description : STP Outlet
Sample Drawn on : 01/09/2023
Sample Drawn by : EPEPL (Mr. Rahul Kumar)
Sample Received on : 01/09/2023
Sampling Location : From STP Plant (IDR Building) - 50KLD
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Condition : Normal
Analysis Duration : 01/09/2023 To 05/09/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per CPCB (EPR-1986 Schedule-VI Part-A)
1	pH	IS: 3025 (P-11) 2.0: 2022	7.24	-	5.5-9.0
2	Total Suspended Solids	IS:3025(Part-17): 2022	46.0	mg/L	100.0
3	Oil & Grease	IS:3025 (Part-39)-F : 2021	<4.0	mg/L	10.0
4	COD (as O ₂)	IS 3025 (Part 58): 2006	39.4	mg/L	250.0
5	BOD (@27°C for 3 days)	IS 3025 (Part 44): 1993	8.7	mg/L	30.0


Notes :

- The results given above are related to the tested sample, as received & mentioned parameters.
The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.




****End of Report****





Borewell No.1



Borewell No.2



Borewell No. 4



Date: 28.08.2023

To,
Chairman, T.C.C
Cum Additional Deputy Commissioner, Gurgaon

Subject: Submission of CGWA compliance for IT/ Information Technology Enable Services (SEZ) project at Village- Gwal Pahari, Gurgaon – Faridabad road, Tehsil Wazirabad, District Gurgram, Haryana by M/s ASF Insignia SEZ Pvt. Ltd.

Reference No: Chairman, T.C.C cum Additional Deputy Commissioner, Gurgaon letter no. 1011 dated 23.11.2010

Dear Sir,

This is with reference to the above captioned subject; we are here with submitting quarterly compliance report for the period **April 2023 to June 2023** and The Ground Water Level monitoring report dated 08.07.2023 at 8 (eight) different locations at IT/ITES Project ASF Insignia SEZ Pvt. Ltd.

Thanking you,

For ASF INSIGNIA SEZ PVT. LTD.

Authorised Signatory

Encl: As above

CC:

1. Member Secretary, CGWA, New Delhi.
2. Hydrologist Office, Ground Water Cell, Gurgaon, Haryana.

ED9043283710 000426040140000
OF BENGALI MARKET SO (1100001)
Counter No: 30/08/2023 10:33
MEMBER SECRETARY, CENTRAL GROUND W
PWA-1100001, R T Puran Vihar SO
Kharakpur, Gurgaon, HARYANA
ASF Insignia
Apt: 10, 70 (Cash) Fax: 2170
(Track on www.indiafast.gov.in)
(Dist: 18002665868) (Near Yaska, Stay Safe)



ASF INSIGNIA SEZ PRIVATE LIMITED

Site Office : ASF Insignia SEZ (IT/ITES), Vatsal Valley (Gwal Pahari), off Gurugram-Faridabad Road, Gurugram-122003, Haryana

+91 124 4777200 || +91 124 4234110 @ corporate@asfinfrastructure.com | www.asfinfrastructure.com

Regd. Office : 11, Babar Lane, Bengali Market, New Delhi-110001 || +91 11 23355511 || +91 1123739298

Corp. Office : ASF Centre, 362-363, Udyog Vihar, Phase-IV, Gurugram-122016 (India)

CIN U45201DL2005PTC140408

Creating Intelligent Spaces®

COMPLIANCE OF THE CONDITIONS AS PER THE NO OBJECTION CERTIFICATE OBTAINED FROM CHAIRMAN, T.C.C CUM ADDITIONAL DEPUTY COMMISSIONER, GURGAON VIDE LETTER NO: 1011 DATED 23.11.2010 (ANNEXURE-I). PERIOD April 2023 – June 2023

CONDITIONS

S.NO.	CONDITIONS	COMPLIANCE
1	The ground water from the tube well shall be exclusively used for drinking purpose only and not for construction or any other purpose. The applicant will have to submit the undertaking on affidavit for the same.	Being Complied. The ground water from the tube well is being exclusively used for drinking purpose only. The affidavit stating the same has already been submitted.
2	The applicant shall take up Rain Water Harvesting system in project area.	Complied. Total 21. nos of Rain Water Harvesting Pits are operational at the site.
3	Treated waste water shall be utilized for gardening and flushing purposes by dual water supply system	Complied. Treated waste water is being utilized for gardening and flushing purposes by dual water supply system.
4	Photograph of the recharge structure is to be submitted immediately after completion to Chairman T.C.C. Gurgaon.	Complied. Photograph of the recharge structure has been submitted to the office of Chairman T.C.C. Cum Additional Deputy Commissioner Gurgaon.
5	After getting the drinking water supply from concerned Private/Govt. agency, applicant would not to be allowed abstraction of ground water through this tube well.	Noted.



6	The applicant will have to submit the depth, diameter, H.P. of primemover and exact location (Khasra no., Killa no.) as per revenue record of permitted tube well along with photograph within 15 days after getting permission letter. Otherwise the permission will be withdrawn. No further drilling or deeping of the tube well should be carried out.	Being Complied. Details already submitted
7	The ground water level in the tube wells is to be monitored at least quarterly (January, May, August & November) in a year on regular basis and ground water quality is to be monitored twice in a year during pre and post monsoon period and data to be submitted Hydrologist office, Ground Water Cell Gurgaon on regular basis.	Complied. We are regularly submitting the required data to your esteemed office. latest Ground Water Level report & Ground Water Test Report is attached as an <i>Annexure II & II-A</i> .
8	Violation of the above mentioned conditions, T.C.C. Gurgaon reserves its rights to withdraw/cancel the permission of the said tube well at any time without assigning any reason, if the contingency so demand	Noted.



Raj Borewells & Projects Pvt. Ltd.

Specialists in - Rain Water Harvesting, Solarwell Drilling, Sewerage
Treatment Projects, Roadside construction of GDS Borewells

Address: Plot No. 10, Sector 10, Gurgaon, Haryana
Phone: 98100-12345, 98100-67890, 98100-11223

Ref. No.

Date

08.07.2023

M/s ASF Insignia SEZ Pvt. Ltd.
Gawal Pahadi
Gurgaon- 122003

Sub : Checking of water level of the existing bore of site M/s ASF insignia SEZ Pvt. Ltd. Village Gwal Pahari, Tehsil -Wajirabad, Distt. Gurgaon Haryana (Apr-23 to Jun-23)

Dear Sir,

As per our finding following are the water level of different bores for the period Apr-23 to Jun-23 at the subject site--

- | | | |
|------------------------|---|--|
| 1. Marked B.W No. I | - | Cooling Tower WL at 139 ft. |
| 2. Marked B.W No. II | - | Ground Floor, Tower-1, South WL at 135 ft. |
| 3. Marked B.W No. III | - | Basement-3, Tower-3, WL at 92 ft. |
| 4. Marked B.W No. IV | - | Housing Northwest WL at 141 ft. |
| 5. Marked B.W No. V | - | Housing East WL at 130ft. |
| 6. Marked B.W No. VI | - | Behind residential Building WL at 142 ft. |
| 7. Marked B.W No. VII | - | North of B3 Building 1 WL at 125 ft. |
| 8. Marked B.W No. VIII | - | North of B3 Building 2 WL at 131 ft. |

Thanking You,

Yours truly,

For Raj Borewells & Projects,


Authorized signatory





Office: Environmental & Water Quality - Road No. 12, Sector 14, Gurgaon - Haryana - 122002
Contact No: 9111557740, 9111557741, 9111557742 | Email: info@eko-pro.com, enquiry@eko-pro.com, website: www.eko-pro.com

TEST REPORT
Water Sample Analysis

Test Report No. : EKO/E-533/020623
Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village -Gwal Pahari
Gurgaon Faridabad Road
Gurgaon (Haryana) -122003

Issue Date : 07/06/2023

Sample Description : Ground Water
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : From Building No.-3
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Conditions : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per IS:10500-2012 (Amd.No.3 Feb-2021)	
					Acceptable	Permissible
1	Colour	IS: 3025 (P-4)	<1.0	Hazen	5.0	15.0
2	Odour	IS: 3025 (P-5)	Agreeable	-	Agreeable	Agreeable
3	Taste	IS: 3025 (P-7)	Agreeable	-	Agreeable	Agreeable
4	Turbidity	IS: 3025 (P-10)	<1.0	NTU	1.0	5.0
5	pH	IS: 3025 (P-11)	7.29	-	6.5-8.5	No relaxation
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	228.0	mg/L	200.0	600.0
7	Iron (as Fe)	IS: 3025 (P-53)	<0.1	mg/L	1.0	No relaxation
8	Chloride (as Cl)	IS: 3025 (P-32)	68.9	mg/L	250.0	1000.0
9	Residual Free Chlorine	IS: 3025 (P-26)	<0.1	mg/L	0.2	1.0
10	Fluoride (as F)	IS: 3025 (P-60)	<1.0	mg/L	1.0	1.5
11	Total Dissolved Solids	IS: 3025 (P-16)	324.0	mg/L	500.0	2000.0
12	Total Alkalinity (as CaCO ₃)	IS: 3025 (P-23)	165.0	mg/L	200.0	600.0
13	Phenolic Compounds (as C ₆ H ₅ OH)	IS: 3025 (P-43)	<0.001	mg/L	0.001	0.002
14	Cyanide (as CN)	APHA 4500 CN-K	Absent	mg/L	0.05	No relaxation
15	Total Coliform	IS: 1622	Absent (<2)	MPN/100ml	Should be Absent	No relaxation
16	E.coli	IS: 1622	Absent	Per 100mL	Should be Absent	No relaxation

Remark:- Standard Applicable only for Drinking Water.





TEST REPORT
Water Sample Analysis

Test Report No : EKO/E-611/010623

Issue Date : 05/06/2023

Issued To : ASF INSIGNIA SEZ PVT. LTD.
Ites Village- Gwal Pahari
Gurugram Faridabad Road
Sub Teh Wazirobad Gurugram Haryana-122009

Sample Description : Ground Water
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPI (Mr. Rajeev Sharma)
Sample Received on : 01/06/2023
Sampling Location : From Borewell - IDR, (PUMP ROOM)
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Conditions : Normal
Analysis Duration : 01/06/2023 To 05/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per IS:10500-2012 (Amd.No.3 Feb-2021)	
					Acceptable	Permissible*
1	Colour	IS: 3025 (P-4)	<1.0	Hazen	5.0	15.0
2	Odour	IS: 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
3	Taste	IS: 3025 (P-7)	Agreeable	--	Agreeable	Agreeable
4	Turbidity	IS: 3025 (P-10)	<1.0	NTU	1.0	5.0
5	pH	IS: 3025 (P-11)	7.22	--	6.5-8.5	No relaxation
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	270.0	mg/l.	200.0	600.0
7	Iron (as Fe)	IS: 3025 (P-53)	<0.1	mg/L	1.0	No relaxation
8	Chloride (as Cl)	IS: 3025 (P-32)	40.9	mg/l.	250.0	1000.0
9	Residual Free Chlorine	IS: 3025 (P-26)	<0.1	mg/l.	0.2	1.0
10	Fluoride (as F)	IS: 3025 (P-60)	<1.0	mg/l.	1.0	1.5
11	Total Dissolved Solids	IS: 3025 (P-16)	318.0	mg/l.	500.0	2000.0
12	Phenolic Compounds(as C ₆ H ₅ OH)	IS : 3025 (P-43)	<0.001	mg/L	0.001	0.002
13	Cyanide (as CN)	APHA 4500 CN-K	Absent	mg/L	0.05	No relaxation
14	Total Alkalinity (as CaCO ₃)	IS : 3025 (P-23)	235.0	mg/L	200.0	600.0
15	Total Coliform	IS : 1622	Absent (<2)	MPN/100mL	Should be Absent	-
16	E.coli	IS : 1622	Absent	Per 100mL	Should be Absent	-

Remark:- *It is recommended that the acceptable limit is to be implemented. Values in excess of those mentioned under 'acceptable' render the water not suitable, but still may be tolerated in the absence of an alternative source but up to the limits indicated under 'permissible limit in the absence of alternate source'

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
SHIVANGI SINGH RAIZADA
(Authorised Signatory)
SAVE THE ENVIRONMENT

For EKO PRO ENGINEERS PVT. LTD.
PURNIMA CHAUHAN
(Authorised Signatory)
SAVE THE ENVIRONMENT





TEST REPORT
Water Sample Analysis

Test Report No. : EKO/E-532/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village -Gwal Pahari
Gurgaon Faridabad Road
Gurgaon (Haryana) -122003

Sample Description : Ground Water
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : Stand By Borewell
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Conditions : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per IS:10500-2012 (Amd.No.3 Feb-2021)	
					Acceptable	Permissible
1	Colour	IS: 3025 (P-4)	<1.0	Hazen	5.0	15.0
2	Odour	IS: 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
3	Taste	IS: 3025 (P-7)	Agreeable	--	Agreeable	Agreeable
4	Turbidity	IS: 3025 (P-10)	<1.0	NTU	1.0	5.0
5	pH	IS: 3025 (P-11)	7.14	--	6.5-8.5	No relaxation
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	229.0	mg/L	200.0	600.0
7	Iron (as Fe)	IS: 3025 (P-53)	<0.1	mg/L	1.0	No relaxation
8	Chloride (as Cl)	IS: 3025 (P-32)	65.9	mg/L	250.0	1000.0
9	Residual Free Chlorine	IS: 3025 (P-26)	<0.1	mg/L	0.2	1.0
10	Fluoride (as F)	IS: 3025 (P-60)	<1.0	mg/L	1.0	1.5
11	Total Dissolved Solids	IS: 3025 (P-16)	340.0	mg/L	500.0	2000.0
12	Total Alkalinity (as CaCO ₃)	IS: 3025 (P-23)	183.0	mg/L	200.0	600.0
13	Phenolic Compounds (as C ₆ H ₅ OH)	IS: 3025 (P-43)	<0.001	mg/L	0.001	0.002
14	Cyanide (as CN)	APHA 4500 CN-K	Absent	mg/L	0.05	No relaxation
15	Total Coliform	IS: 1622	Absent (<2)	MPN/100ml	Should be Absent	No relaxation
16	E.coli	IS: 1622	Absent	Per 100mL	Should be Absent	No relaxation



From

Chairman, T.C.C.
Cum Additional Deputy Commissioner, Gurgaon.

To

Construction & Building Dept. PVT. LTD, 362-363 ASF Constitute Vidyog Vihar, Gurgaon

No. 1017 dated

LV
Gurgaon

Sub:
Memo

N.O.C. for regularization of existing tubewells for drinking & domestic purpose.

With reference to your application no 2-2-2010 dated 2-2-2010 on the above cited subject the Technical Core Committee has no objection for withdrawal of ground water from existing Eight tubewell located at Village Gawal Pahar

The N.O.C. is subject to the following terms & conditions :-

- 1 The ground water from the tubewell shall be exclusively used for drinking & domestic purpose only and not for construction or any other purposes. The applicant will have to submit the undertaking on affidavit for the same.
- 2 The applicant shall take up Rain Water Harvesting scheme in the project area.
- 3 Treated waste water shall be utilized for gardening and flushing purposes by providing dual water supply system.
- 4 Photograph of the recharge structure is to be submitted immediately after completion to the chairman T.C.C. Gurgaon.
- 5 After getting the drinking water supply from concerned Private/Govt agency, the applicant would not be allowed abstraction of ground water through this tubewell.
- 6 The applicant will have to submit the depth, diameter, H.P. of primemover and exact location (Khasra no., Killa no.) as per revenue record of the permitted tubewell alongwith photograph within 15 days after getting permission letter, otherwise the permission will be withdrawn. No further drilling or deeping of the tubewell should be carried out.
- 7 The ground water level in the tubewells is to be monitored atleast quarterly (January, May, August & November) in a year on regular basis and ground water quality is to be monitored twice in a year during pre & post monsoon period and data to be submitted to Hydrologist office, Ground Water Cell Gurgaon on regular basis.
- 8 Violation of the above mentioned conditions, T.C.C. Gurgaon reserves its rights to withdraw/cancel the permission of the said tubewell at any time without assigning any reason, if the contingency so demand.

Chairman, T.C.C.

Cum Additional Deputy Commissioner, Gurgaon.

No. 1017 dated

A copy is forwarded to Member Secretary, C.G.W.A. New Delhi for favour of information & necessary action please.

Chairman, T.C.C.

Cum Additional Deputy Commissioner, Gurgaon.

Attested as
Verified
Biswajay 26/3/16



As per serial available the copy has been compared with the original of this copy and found correct.

27/3/16

Date: 25.03.2016



To,

ov

The Chairman-TCC
Cum Addl. Dy. Commissioner,
Vikas Sadan
Gurgaon

Sub.: Request for providing original copy/ certified copy of the NOC dated 23.11.2010 granted to Canton Buildwell Pvt. Ltd.(Now) ASF Insignia SEZ Pvt. Ltd.) for 8 tubewells for drinking and domestic purposes.

Ref.: Your NOC vide Memo No. 1011 dated 23.11.2010

Dear Sir,

This has reference to the above referred NOC dated 23.11.2010 issued to Canton Buildwell Pvt. Ltd. (now known as ASF Insignia SEZ Pvt. Ltd.). This is to bring to your kind notice that the original copy of the above mentioned NOC is somehow not traceable in our records, and perhaps it was never received by us, and we are having only a copy of the office copy of the Deptt. in our records.

It is therefore requested that we may kindly be provided with the original copy of the said NOC issued in our favour vide Memo No. 1011 dated 23.11.2010.

In the alternate, we may be provided with a duly authenticated /certified copy of the said NOC at the earliest.

Thanking you,

Yours faithfully,
For ASF INSIGNIA SEZ PVT.LTD.
(formerly known as Canton Buildwell Pvt. Ltd.)

AUTHORIZED SIGNATORY

Encl. Photocopy of NOC vide Memo No. 1011 dated 23.11.2010.

Hydrologist To supply
URGENT certified copy
Put up on.....
urgently.
ADC



ASF INSIGNIA SEZ PRIVATE LIMITED
Corp. Office: ASF Centre 362-363, Udyog Vihar, Phase-IV, Gurgaon-122016 (India)
T: +91 124 4777200 F: +91 124 4234110 e: corporate@asfinfrastructure.com | www.asfinfrastructure.com
Head Office: 11, Bhatia Lane, Bengali Market, New Delhi-110001 T: +91 11 2335 3511 F: +91 1123738296
CIN: U45201DL2009PTC140406

Creating Intelligent Spaces®

Date: 03.11.2023

To,
Chairman, T.C.C
Cum Additional Deputy Commissioner, Gurgaon

Subject: Submission of CGWA compliance for IT/ Information Technology Enable Services (SEZ) project at Village- Gwal Pahari, Gurgaon – Faridabad road, Tehsil Wazirabad, District Gurgram, Haryana by M/s ASF Insignia SEZ Pvt. Ltd.

Reference No: Chairman, T.C.C cum Additional Deputy Commissioner, Gurgaon letter no 1011 dated 23.11.2010

Dear Sir,

This is with reference to the above captioned subject; we are here with submitting quarterly compliance report for the period **July 2023 to September 2023** and The Ground Water Level monitoring report dated 09.10.2023 at 8 (eight) different locations at IT/ITES Project ASF Insignia SEZ Pvt. Ltd.

Thanking you,

For ASF INSIGNIA SEZ PVT. LTD.



Authorised Signatory
Encl: As above

CC:

1. Member Secretary, CGWA, New Delhi.
2. Hydrologist Office, Ground Water Cell, Gurgaon, Haryana.



ASF INSIGNIA SEZ PRIVATE LIMITED

Site Office : ASF Insignia SEZ (IT/ITES), Vatsal Valley (Gwal Pahari), off Gurugram-Faridabad Road, Gurugram-122003, Haryana
+91 124 4777200 +91 124 4234110 : corporate@asfinfrastructure.com www.asfinfrastructure.com
Regd. Office : 11, Bebar Lane, Bengali Market, New Delhi-110001 : +91 11 23355511 : +91 1123739393
Corp. Office : ASF Centre, 362-363, Udyog Vihar, Phase-IV, Gurugram-122016 (India)

CIN U45201DL2005PTC140408

Creating Intelligent Spaces™



COMPLIANCE OF THE CONDITIONS AS PER THE NO OBJECTION CERTIFICATE OBTAINED FROM CHAIRMAN, T.C.C CUM ADDITIONAL DEPUTY COMMISSIONER, GURGAON VIDE LETTER NO: 1011 DATED 23.11.2010 (ANNEXURE-I). PERIOD July 2023 – September 2023

CONDITIONS

S.NO.	CONDITIONS	COMPLIANCE
1	The ground water from the tube well shall be exclusively used for drinking purpose only and not for construction or any other purpose. The applicant will have to submit the undertaking on affidavit for the same.	Being Complied. The ground water from the tube well is being exclusively used for drinking purpose only. The affidavit stating the same has already been submitted.
2	The applicant shall take up Rain Water Harvesting system in project area.	Complied. Total 21. nos of Rain Water Harvesting Pits are operational at the site.
3	Treated waste water shall be utilized for gardening and flushing purposes by dual water supply system	Complied. Treated waste water is being utilized for gardening and flushing purposes by dual water supply system.
4	Photograph of the recharge structure is to be submitted immediately after completion to Chairman T.C.C. Gurgaon.	Complied. Photograph of the recharge structure has been submitted to the office of Chairman T.C.C. Cum Additional Deputy Commissioner Gurgaon.
5	After getting the drinking water supply from concerned Private/Govt. agency, applicant would not to be allowed abstraction of ground water through this tube well.	Noted.



6	<p>The applicant will have to submit the depth, diameter, H.P. of primemover and exact location (Khasra no., Killa no.) as per revenue record of permitted tube well along with photograph within 15 days after getting permission letter. Otherwise the permission will be withdrawn. No further drilling or deeping of the tube well should be carried out.</p>	<p>Being Complied. Details already submitted</p>
7	<p>The ground water level in the tube wells is to be monitored at least quarterly (January, May, August & November) in a year on regular basis and ground water quality is to be monitored twice in a year during pre and post monsoon period and data to be submitted Hydrologist office, Ground Water Cell Gurgaon on regular basis.</p>	<p>Complied. We are regularly submitting the required data to your esteemed office. latest Ground Water Level report & Ground Water Test Report is attached as an <i>Annexure II & II-A</i>.</p>
8	<p>Violation of the above mentioned conditions, T.C.C. Gurgaon reserves its rights to withdraw/cancel the permission of the said tube well at any time without assigning any reason, if the contingency so demand</p>	<p>Noted.</p>



RAJ BOREWELLS & PROJECTS

Specialists in : Rain Water Harvesting, Tubewell Drilling, Dewatering,
Turnkey Projects, Re-development of Old Borewells

Office : Amichand Market, First Floor, Opp. Indian Oil Corp., Sector -13, By Pass Road, Faridabad-121007
E-mail:rajborewells2010@rediffmail.com / Phones : +91-98111-41355, 8585904007

Ref. No.

09/10/2023
Date

M/s ASF Insignia SEZ Pvt. Ltd.
Village - Gwal Pahari
Gurgaon

**Sub: Checking of water level of the existing bores at site M/s ASF Insignia SEZ Pvt. Ltd.
Village Gwal Pahari, Tehsil Sohna Distt. Gurgaon Haryana July - Sept. 2023.**


Dear Sir,

As per our findings, following are the water level of different bores for the period July- Sept. 2023 at the subject site-

- | | | |
|------------------------|---|---|
| 1. Marked B.W. No. I | - | Colling Tower WL at 141 ft. |
| 2. Marked B.W. No. II | - | Ground Floor, Tower 1 South WL at 140ft |
| 3. Marked B.W. No.III | - | Basement -3, Tower 3, WL at 90ft |
| 4. Marked B.W. No.IV | - | Housing Northwest WL at 142ft |
| 5. Marked B.W. No.V | - | Housing East WL at 138ft |
| 6. Marked B.W. No.VI | - | Behind residential building WL at 143ft |
| 7. Marked B.W. No. VII | - | North of B3 building 1 WL at 130 ft |
| 8. Marked B.W. No.VIII | - | North of B3 Building 2 WL. at 136 ft |

Thanking you

Yours truly





TC-5003

TEST REPORT

Water Sample Analysis

Test Report No. : EKO/534/020623

Issue Date : 07/06/2023

Issued To

: ASF INSIGNIA SEZ PVT. LTD.
Village -Gwal Pahari
Gurgaon Faridabad Road
Gurgaon (Haryana) -122003

Sample Description : Ground Water
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr.Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : From Building No.-2
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Conditions : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per IS:10500-2012 (Amd.No.3 Feb-2021)	
					Acceptable	Permissible
1	Colour	IS: 3025 (P-4)	<1.0	Hazen	5.0	15.0
2	Odour	IS: 3025 (P-5)	Agreeable	-	Agreeable	Agreeable
3	Taste	IS: 3025 (P-7)	Agreeable	-	Agreeable	Agreeable
4	Turbidity	IS: 3025 (P-10)	<1.0	NTU	1.0	5.0
5	pH	IS: 3025 (P-11)	7.18	-	6.5-8.5	No relaxation
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	278.0	mg/L	200.0	600.0
7	Iron (as Fe)	IS: 3025 (P-53)	<0.1	mg/L	1.0	No relaxation
8	Chloride (as Cl)	IS: 3025 (P-32)	82.5	mg/L	250.0	1000.0
9	Residual Free Chlorine	IS: 3025 (P-26)	<0.1	mg/L	0.2	1.0
10	Fluoride (as F)	IS: 3025 (P-60)	<1.0	mg/L	1.0	1.5
11	Total Dissolved Solids	IS: 3025 (P-16)	380.0	mg/L	500.0	2000.0
12	Total Alkalinity (as CaCO ₃)	IS: 3025 (P-23)	184.0	mg/L	200.0	600.0
13	Phenolic Compounds (as C ₆ H ₅ OH)	IS: 3025 (P-43)	<0.001	mg/L	0.001	0.002
14	Cyanide (as CN)	APHA 4500 CN-K	Absent	mg/L	0.05	No relaxation
15	Total Coliform	IS: 1622	Absent (<2)	MPN/100ml	Should be Absent	No relaxation
16	E.coli	IS: 1622	Absent	Per 100mL	Should be Absent	No relaxation





TEST REPORT

Water Sample Analysis

Test Report No. : EKO/E-533/020623

Issue Date : 07/06/2023

Issued To


ASF INSIGNIA SEZ PVT. LTD
Village -Gwal Pahari
Gurgaon Faridabad Road
Gurgaon (Haryana) -122003


Sample Description : Ground Water
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : From Building No.-3
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Conditions : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per IS:10500-2012 (Amd.No.3 Feb-2021)	
					Acceptable	Permissible
1	Colour	IS: 3025 (P-4)	<1.0	Hazen	5.0	15.0
2	Odour	IS: 3025 (P-5)	Agreeable	-	Agreeable	Agreeable
3	Taste	IS: 3025 (P-7)	Agreeable	-	Agreeable	Agreeable
4	Turbidity	IS: 3025 (P-10)	<1.0	NTU	1.0	5.0
5	pH	IS: 3025 (P-11)	7.29	-	6.5-8.5	No relaxation
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	228.0	mg/L	200.0	600.0
7	Iron (as Fe)	IS: 3025 (P-53)	<0.1	mg/L	1.0	No relaxation
8	Chloride (as Cl)	IS: 3025 (P-32)	88.9	mg/L	250.0	1000.0
9	Residual Free Chlorine	IS: 3025 (P-26)	<0.1	mg/L	0.2	1.0
10	Fluoride (as F)	IS: 3025 (P-60)	<1.0	mg/L	1.0	1.5
11	Total Dissolved Solids	IS: 3025 (P-18)	324.0	mg/L	500.0	2000.0
12	Total Alkalinity (as CaCO ₃)	IS: 3025 (P-23)	165.0	mg/L	200.0	600.0
13	Phenolic Compounds (as C ₆ H ₅ OH)	IS: 3025 (P-43)	<0.001	mg/L	0.001	0.002
14	Cyanide (as CN)	APHA 4500 CN-K	Absent	mg/L	0.05	No relaxation
15	Total Coliform	IS: 1622	Absent (<2)	MPN/100ml	Should be Absent	No relaxation
16	E.coli	IS: 1622	Absent	Per 100mL	Should be Absent	No relaxation

Remark:- Standard Applicable only for Drinking Water.





Address: Plot No. 10, Phase II, Sector 17, Faridabad, Haryana-121003
 Phone: +91-129-2251111, Fax: +91-129-2251112, Email: info@epepl.com, www.epepl.com

TEST REPORT

Water Sample Analysis

Test Report No : EKO/E-611/010623
 Issued To :

Issue Date : 05/06/2023

ASF INSIGNIA SEZ PVT. LTD.
 Ites Village- Gwal Pahari
 Gurugram: Faridabad Road
 Sub Teh Wazirabad Gurugram Haryana-122003

Sample Description : Ground Water
 Sample Drawn on : 01/06/2023
 Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
 Sample Received on : 01/06/2023
 Sampling Location : From Borewell - IDR, (PUMP ROOM)
 Sampling Plan & Procedure : SOP-W/68
 Sample Quantity : 1.0 Litre
 Environmental Conditions : Normal
 Analysis Duration : 01/06/2023 To 05/06/2023
 Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per IS:10500-2012 (Amd.No.3 Feb-2021)	
					Acceptable	Permissible*
1	Colour	IS: 3025 (P-4)	<1.0	Hazen	5.0	15.0
2	Odour	IS: 3025 (P-5)	Agreeable	--	Agreeable	Agreeable
3	Taste	IS: 3025 (P-7)	Agreeable	--	Agreeable	Agreeable
4	Turbidity	IS: 3025 (P-10)	<1.0	NTU	1.0	5.0
5	pH	IS: 3025 (P-11)	7.22	--	6.5-8.5	No relaxation
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	270.0	mg/L	200.0	600.0
7	Iron (as Fe)	IS: 3025 (P-53)	<0.1	mg/L	1.0	No relaxation
8	Chloride (as Cl)	IS: 3025 (P-32)	40.9	mg/L	250.0	1000.0
9	Residual Free Chlorine	IS: 3025 (P-26)	<0.1	mg/L	0.2	1.0
10	Fluoride (as F)	IS: 3025 (P-60)	<1.0	mg/L	1.0	1.5
11	Total Dissolved Solids	IS: 3025 (P-16)	318.0	mg/L	500.0	2000.0
12	Phenolic Compounds(as C6H5OH)	IS : 3025 (P-43)	<0.001	mg/L	0.001	0.002
13	Cyanide (as CN)	APHA 4500 CN-K	Absent	mg/L	0.05	No relaxation
14	Total Alkalinity (as CaCO ₃)	IS : 3025 (P-23)	235.0	mg/L	200.0	600.0
15	Total Coliform	IS : 1822	Absent (<2)	MPN/100mL	Should be Absent	-
16	E.coli	IS : 1622	Absent	Per 100mL	Should be Absent	-

Remark: *It is recommended that the acceptable limit is to be implemented. Values in excess of those mentioned under 'acceptable' render the water not suitable, but still may be tolerated in the absence of an alternative source but up to the limits indicated under 'permissible limit in the absence of alternate source'

Notes:

- The results given above are related to the tested sample, as received & mentioned parameters. The customer asked for the above tests only.
- This test report will not be generated again, either wholly or in part, without prior written permission of the Laboratory.
- The test report will not be used for any publicity/legal purpose.
- The test samples will be disposed off after: 15 days from the date of issue of test report, unless until specified by the customer. Sample received for biological tests will be destroyed after 7 days from the date of issue of test report.
- Responsibility of the Laboratory is limited to the invoiced amount only.

****End of Report****

For EKO PRO ENGINEERS PVT. LTD.
 SHIVAN SINGH RAJADA
 (Authorized Signatory)

For EKO PRO ENGINEERS PVT. LTD.
 PURNIMA CHAUDHAN
 (Authorized Signatory)





TEST REPORT Water Sample Analysis

Test Report No. : EKOIC/532/020623
Issued To


Issue Date : 07/06/2023

: ASF INSGNIA SEZ PVT. LTD.
Village -Gwal Pahari
Gurgaon Faridabad Road
Gurgaon (Haryana) -122003

Sample Description : Ground Water
Sample Drawn on : 01/06/2023
Sample Drawn by : EPEPL (Mr. Rajeev Sharma)
Sample Received on : 02/06/2023
Sampling Location : Stand By Borewell
Sampling Plan & Procedure : SOP-W/66
Sample Quantity : 1.0 Litre
Environmental Conditions : Normal
Analysis Duration : 02/06/2023 To 06/06/2023
Remark (if any) : NA

RESULTS

S. No.	Parameters	Test Methods	Results	Units	Limits as per IS:10500-2012 (Amd.No.3 Feb-2021)	
					Acceptable	Permissible
1	Colour	IS: 3025 (P-4)	<1.0	Hazen	5.0	15.0
2	Odour	IS: 3025 (P-5)	Agreeable	-	Agreeable	Agreeable
3	Taste	IS: 3025 (P-7)	Agreeable	-	Agreeable	Agreeable
4	Turbidity	IS: 3025 (P-10)	<1.0	NTU	1.0	5.0
5	pH	IS: 3025 (P-11)	7.14	-	6.5-8.5	No relaxation
6	Total Hardness (as CaCO ₃)	IS: 3025 (P-21)	229.0	mg/L	200.0	600.0
7	Iron (as Fe)	IS: 3025 (P-53)	<0.1	mg/L	1.0	No relaxation
8	Chloride (as Cl)	IS: 3025 (P-32)	85.9	mg/L	250.0	1000.0
9	Residual Free Chlorine	IS: 3025 (P-26)	<0.1	mg/L	0.2	1.0
10	Fluoride (as F)	IS: 3025 (P-60)	<1.0	mg/L	1.0	1.5
11	Total Dissolved Solids	IS: 3025 (P-16)	340.0	mg/L	500.0	2000.0
12	Total Alkalinity (as CaCO ₃)	IS: 3025 (P-23)	183.0	mg/L	200.0	600.0
13	Phenolic Compounds (as C ₆ H ₅ OH)	IS: 3025 (P-43)	<0.001	mg/L	0.001	0.002
14	Cyanide (as CN)	APHA 4500 CN-K	Absent	mg/L	0.05	No relaxation
15	Total Coliform	IS: 1622	Absent (<2)	MPN/100ml	Should be Absent	No relaxation
16	E.coli	IS: 1622	Absent	Per 100mL	Should be Absent	No relaxation



Chairman, T.C.C.
Cum Additional Deputy Commissioner, Gurgaon

Cum Additional Deputy Commissioner, Gurgaon
No. 1017 dated 14.04.2014

*14
Gurgaon*

Sub
Name

N.O.C. for regularization of existing tubewells for drinking & domestic purpose.

With reference to your application no. 288-2010 dated 14.04.2014 on the above cited subject the Technical Core Committee has no objection for withdrawal of ground water from existing 8.5 ft tubewell located at Village: Gawal Pabali.

The N.O.C. is subject to the following terms & conditions :-

1. The ground water from the tubewell shall be exclusively used for drinking & domestic purpose only and not for construction or any other purposes. The applicant will have to submit the undertaking on affidavit for the same.
2. The applicant shall take up Rain Water Harvesting scheme in the project area.
3. Treated waste water shall be utilized for gardening and flushing purposes by providing dual water supply system.
4. Photograph of the recharge structure is to be submitted immediately after completion to the chairman T.C.C. Gurgaon.
5. After getting the drinking water supply from concerned Private/Govt agency, the applicant would not be allowed abstraction of ground water through this tubewell.
6. The applicant will have to submit the depth, diameter, H.P. of primemover and exact location (Khasra no., Killa no.) as per revenue record of the permitted tubewell alongwith photograph within 15 days after getting permission letter, otherwise the permission will be withdrawn. No further drilling or deeping of the tubewell should be carried out.
7. The ground water level in the tubewells is to be monitored atleast quarterly (January, May, August & November) in a year on regular basis and ground water quality is to be monitored twice in a year during pre & post monsoon period and data to be submitted to Hydrologist office, Ground Water Cell Gurgaon on regular basis.
8. Violation of the above mentioned conditions, T.C.C. Gurgaon reserves its rights to withdraw/cancel the permission of the said tubewell at any time without assigning any reason, if the contingency so demand.

Chairman, T.C.C.

Cum Additional Deputy Commissioner, Gurgaon.

No. 1017 dated

A copy is forwarded to Member Secretary, C.G.W.A. New Delhi for favour of information & necessary action please.

Chairman, T.C.C.

Cum Additional Deputy Commissioner, Gurgaon.



Approved on 14/04/14
14/04/14
Hydrologist
Ground Water Cell

2014
2014
2014

Date: 25.03.2016



To,

The Chairman-TCC
Cum Addl. Dy. Commissioner,
Vikas Sadan
Gurgaon

de

Sub.: Request for providing original copy/ certified copy of the NOC dated 23.11.2010 granted to Canton Buildwell Pvt. Ltd.(Now) ASF Insignia SEZ Pvt. Ltd.) for 8 tubewells for drinking and domestic purposes.

Ref.: Your NOC vide Memo No. 1011 dated 23.11.2010

Dear Sir,

This has reference to the above referred NOC dated 23.11.2010 issued to Canton Buildwell Pvt. Ltd. (now known as ASF Insignia SEZ Pvt. Ltd.). This is to bring to your kind notice that the original copy of the above mentioned NOC is somehow not traceable in our records, and perhaps it was never received by us, and we are having only a copy of the office copy of the Deptt. in our records.

It is therefore requested that we may kindly be provided with the original copy of the said NOC issued in our favour vide Memo No. 1011 dated 23.11.2010.

In the alternate, we may be provided with a duly authenticated /certified copy of the said NOC at the earliest.

Thanking you,

Yours faithfully,
For **ASF INSIGNIA SEZ PVT.LTD.**
(formerly known as Canton Buildwell Pvt. Ltd.)

AUTHORIZED SIGNATORY

Encl. Photocopy of NOC vide Memo No. 1011 dated 23.11.2010.

Hydrologist To supply
URGENT certified copy
Put up on.....urgently.
KDC

ASF INSIGNIA SEZ PRIVATE LIMITED
Corp. Office: ASF Centre, 362-363, Udyog Vihar, Phase IV, Gurgaon- 122016 (India)
T: +91 124 4777200 F: +91 124 4234110 e: corporate@asfinfrastructure.com W: www.asfinfrastructure.com
Regd. Office: 11, Bahar Lane, Bengali Market, New Delhi-110001 T: +91 11 2335 1511 F: +91 11 2335 1511
CIN: U45201DL2005PTC149406

Creating Intelligent Spaces®



ASF
INSIGNIA
01/4

14 April 2023

To,

The Regional Officer,
Haryana State Pollution Control Board
Gurgaon

**Sub.: Submission of Form- V, Environmental Statement for the
financial year 01.04.2022 to 31.03.2023**

Dear Sir,

We are enclosing herewith Form-V for the period from **01.04.2022 to 31.03.2023** i.e. Environmental Statement for the financial year 2022 to 2023 for our site at Village Gwal Pahari, Tehsil Wazirabad Distt. Gurgaon (Haryana).

Thanking you,
Yours faithfully,

For **ASF INSIGNIA SEZ PVT.LTD.**

Authorized Signatory

Encl: As Above

CC: The Chairman
Haryana State Pollution Control
C-11, Sector-6, Panchkula

ED6633629381N IVR:696866336293
SF NEW DELHI GPO (110001)
Counter No:4,19/04/2023,09:29
To:THE CHAIRMAN, HARYANA STATE PCB
PIN:134109, Panchkula Sector 6 S.O
From:ASF INSIGNIA,362-363 ASF CENT
Wt:50gms
Amt:41.39()Tax:6.50
<Track on www.indiapost.gov.in>

ED6633624751N IVR:69686633624751
SF NEW DELHI GPO (110001)
Counter No:4,19/04/2023,09:29
To:THE REGIONAL, HARYANA STATE PCB
PIN:122001, Gurgaon HO
From:ASF INSIGNIA,362-363 ASF CENT
Wt:45gms
Amt:17.70()Tax:2.97
<Track on www.indiapost.gov.in>
<Dial 1800 121 2345 (Dear Reader, Please Stay Safe)>

ASF INSIGNIA SEZ PVT. LTD.

Site Office : ASF Insignia SEZ (IT/ITES), Vatsal Valley (Gwal Pahari), Gurgaon, Haryana
(+91 124 4777200 | +91 124 4234110 | corporate@asfinfrastructure.com | www.asfinfrastructure.com)
Regd. Office : 11, Babar Lane, Bengali Market, New Delhi-110001 | +91 11 23355511 | +91 1123739294
Corp. Office : ASF Centre, 362-363, Udyog Vihar, Phase-IV, Gurugram-122016 (India)
CIN U45201DL2005PTC140408

Creating Intelligent Spaces®



FORM - V
(See Rule-14)

Environmental Statement for the financial year 01.04.2022 - 31.03.2023

Part-A

- (i) Name and address of owner/occupier of the Industry, operation or process : ASF Insignia SEZ Pvt. Ltd.
Village Gwal Pahari, Sub-Tehsil
Wazirabad, Distt. Gurgaon, Haryana
- (ii) Industry category: Primary (STC code) : IT/ITES Special Economic Zone
Secondary- (SIC Code)
- (iii) Production capacity: Units : Not Applicable
- (iv) Year of establishment : November, 2011
- (v) Date of last environmental statement submitted :

Part - B

Water and Raw material consumption

(i) Water consumption m³/day:

Process	: Nil
Cooling	: 66 m ³ /day (66 m ³ /day treated sewage)
Domestic	: 272 m ³ /day (272 m ³ /day extracted from ground through approved tube well)
Horticulture	: 147 m ³ /day (147 m ³ /day treated sewage)

HUDA WATER SOURCE NOT PROVIDED YET

S. No.	Name of Products	Process water consumption per unit of product output	
		During the previous financial year	During the current financial year
1.	Not Applicable	Not Applicable	Not Applicable

(ii) Raw Material consumption : Not Applicable

S. No.	*Name of Raw Material	Name of Products	Consumption of raw material per unit output	
			During the previous financial year	During the current financial year
1.				
2.				
3.				

* Industry may use if disclosing details of raw material would violate contractual obligations; otherwise all industries have to name the raw material used.



[Handwritten signature]

Part – C
Pollution discharged to environment /unit of output
(Parameters as specified in the consent issued)

	Pollutants	Quantity of pollutants discharged (mass/day)	Concentration of pollutants in discharges (mass/volume)	Percentage variation from prescribed standards with reasons
(a) Water	Zero Discharge Unit. No pollutants discharged into the environment as the entire sewage is treated and the entire (100%) treated effluent from STP is used for cooling towers and horticulture. The monitoring report of STP effluent is enclosed as <i>Annexure - I</i> .	Not Applicable	Not Applicable	Not Applicable
(b) Air	Emissions from stacks of back-up DG sets (operated only during power failure) The Stack Emission monitoring report is attached as an <i>Annexure - II</i>	The results of monitoring of DG stack emissions from approved laboratory is enclosed as Annex 2		

Part – D
Hazardous Wastes
(As specified under Hazardous Wastes (Management, Handling and Trans- boundary Movement) Rules,

	Hazardous Wastes	Total Quantity (kg)	
		During the previous financial year	During the current financial year
(a) From process	Used Oil from DG sets	2860 L.	3300 L.
(b) From Process	E-Waste (Burnt lights, hardware etc)	NIL	NIL.
(c) From pollution control facilities	Not Applicable	Not Applicable	Not Applicable

Part – E
Solid Wastes

	Solid Wastes	Total Quantity (kg)	
		During the previous financial year	During the current financial year
(a) From process (IT/ITES Special Economic Zone)	1) Wet Garbage	4095 KG	27795 KG
	2) Dry Garbage	NIL	238295 KG
	3) Scrap	NIL	NIL.



Handwritten signature

(b) From pollution control facility	STP Sludge	16510 KG	37495 KG
(c) (1) Quantity recycled or re-utilizes within the unit	1) Dewatered STP Sludge is used as manure in horticulture	NIL	NIL
(2) Sold	1) Scrap		NIL
(3) Disposed	1) Wet Garbage is disposed to Govt. of Haryana authorized vendor.	4095 KG	27795 KG
	2) Dry Garbage is disposed to Govt. of Haryana authorized vendor	128013 KG	238295 KG

Part - F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Solid wastes	Solid Wastes are segregated into organic biodegradable wastes (Waste vegetables, food, etc) , non-biodegradable wastes (paper, plastic, glass, etc) and Domestic Hazardous waste (sanitary & other non recyclable & non combustible waste) and collected in separate bins. The said wastes are disposed to MCG/ State Govt. Approved vendor.
Hazardous wastes	The used oil from DG sets is sold to authorized waste recyclers.

Part - G

Impact of the pollution abatement measures taken on conservation of natural resources and the cost of production.

Treated effluent from STP is recycled for use in toilet flushing, Air-conditioning and horticulture

Part - H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

All measures for environmental protection and abatement/ prevention of pollution have already been taken. Therefore, no additional measure is envisaged.

Part - I

Any other particulars for improving the quality of the environment:

1. The entire sewage is treated up to the tertiary level in the STP.
2. The entire (100%) treated effluent from STP is recycled for use in HVAC, toilet flushing & horticulture.
3. Required stack height for DG sets provided as per norms to reduce air pollution.
4. Acoustic treatment of DG room for reduction/control of noise as per norms.
5. Adequate tree plantation has been carried out for dust control, noise control ,protection from pollutants in air , shading and aesthetics.
6. Rainwater harvesting pits have been provided for recharge of groundwater.
7. Solid wastes are segregated and recycled through authorized vendors.



Handwritten signature

ASF
INSIGNIA

etc.

Date: 31.01.2022

The Regional Office
Haryana State Pollution Control Board
Gurgaon, Haryana

**Sub.: Disposal of Hazardous Waste M/S Shiv Shakti Oil Lubricants - F 557; RIICO Ind,
Area Chopanki P.O. Tapukara, Tehsil Tizara, Distt. Alwar (Rajasthan) PIN. 301017**

Dear Sir,

We have sent 2860 liters Of used lube oil (Hazardous Liquid Waste) to M/S Shiv Shakti Oil Lubricants - F 557; RIICO Ind, Area Chopanki P.O. Tapukara, Tehsil Tizara, Distt. Alwar (Rajasthan) PIN. 301017 and enclosing herewith copies of the following relevant documents for your records:-

- 1) Invoice No. AF 1021500019 Dated. 28.01.2022
- 2) Bill of Entry No. 200005 Dated. 11.01.2022
- 3) Form-10 [See Rule 19 (1)]
- 4) E-way bill No. 3114 0641 4275 Dated. 28.01.2022 01:05 PM
- 5) Registration certificate-cum-Pass Book

Thanking you,
Yours faithfully,

For ASF INSIGNIA SEZ PVT. LTD.



AUTHORISED SIGNATORY

Encl. As above

ASF INSIGNIA SEZ PVT. LTD.
Gurgaon
Haryana
India
Phone: +91 124 4772000
Fax: +91 124 4234110
www.asfinfrastructure.com

ASF INSIGNIA SEZ PRIVATE LIMITED

Site Office : ASF Insignia SEZ (IT/ITES), Vaisal Valley (Gwal Palwari), off Gurugram-Faridabad Road, Gurugram-122001, Haryana

+91 124 4772000 +91 124 4234110 corporate@asfinfrastructure.com www.asfinfrastructure.com

Regd. Office : 11, Babar Lane, Bengali Market, New Delhi-110001 +91 11 29355511 +91 11 23739296

Corp. Office : ASF Centre, 362-363, Udyog Vihar, Phase-IV, Gurugram-122016 (India)

CIN U45201DL2005PTC140408



Invoice

Supplier/Exporter/Consignee M/s ASF Insignia SEZ Pvt. Ltd. Village Gwal Pahari, Tehsil Sohna District Gurgaon (Haryana) GSTIN # 06AACCC7148L1ZG	Invoice No. / Bill No. AF-1021500019 Dated 28.01.2022 Order No. _____ Date _____ RJ40GA-2066 Delivery: At SEZ Site Payment: Advance Buyer (if other than consignee) Same as consignee
Buyer/Consignee M/s SHIV SHAKTI OIL & LUBRICANTS P-557, RIICO Ind. Area Chopauki Post Tapukara, Tizara Distt Alwar, Rajasthan- 301017. GST No.: 08ABFFS4464G1ZZ PAN No. ABFFS4464G	

Marks/Nett /Kind of packages	Description of goods	Quantity (Ltrs)	Rate (Rs)	Amount (Rs)
13 Drums (220 Ltrs each)	Used Lubricating Oil (Waste Oil with drum) <u>H.S. Code: 27109900</u>	2860.00	20.89	59745.40

Net Wt: 2860 Ltrs Gross Wt: _____	TOTAL	2860	59745.40
--------------------------------------	--------------	-------------	-----------------

	BCD 5.00%	2987.27	5017-147	
	SWS 10.00%	298.73	0.00	
	Customs Duty	3286.00		
	IGST 18.00%	11345.65	iii-33	14,631.05
	Add: TOTAL Duty Value including Duty / Tax	14631.65		74377.05
Net Invoice Value				74377.05

Total: Rupees Seventy Four Thousand Three Hundred Seventy Seven and Paise Five Only.

We certify that the above particulars are true & correct.
 We further declare that the goods are dispatched / to be
 dispatched to a bonafied user

For ASF Insignia SEZ Pvt. Ltd.



Authorised Signatory

e-Way Bill



1. E-WAY BILL Details

eWay Bill No: **3114 0641 4275** Generated Date: **20/01/2022 01:05 PM** Generated By: **06AAC CC714 01.1ZG** Valid Upto: **28/01/2022**
 Mode: **Road** Approx Distance: **42km**
 Type: **Outward - Supply** Document Details: **Tax Invoice - AJ1021500019 - 20/01/2022** Transaction type: **Regular**

2. Address Details

From	To
GSTIN: 06AAC CC714 01.1ZG ASF INSIGNIA SEZ PVT LTD OTHER COUNTRIES Dispatch From: GARWA PALATA FARIDABAD ROADCORGARH Goleen: INDIA-122001	GSTIN: 06ABE FS440 46-1Z2 SHV SHAKTI OIL & LUBRICANTS RAJASTHAN Ship To: F-557 CHOPANI INDUSTRIAL AREA CHOPANI, BHAWALRAJASTHAN-301010

3. Goods Details

HSN Code	Product Name & Desc.	Quantity	Taxable Amount Re.	Tax Rate (C+S+I+CESS+CESS Non Advol)
27109600	USED LUBRICATING OIL & LTR	2000.00	63031.40	NE+NE+1R 000+0.000+0.00

Tot. Taxable Amt: **03031.40** CGST Amt: **0.00** SGST Amt: **0.00** IGST Amt: **11346.66** CESS Amt: **0.00** CESS Non Advol Amt: **0.00**
 Other Amt: **0.00** Total Inv Amt: **74377.05**

4. Transportation Details

Transporter ID & Name: **00ABFFS4464G1Z2 & SHV SHAKTI OIL LUBRICANTS** Transporter Doc. No & Date: **& 28/01/2022**

5. Vehicle Details

Mode	Vehicle / Trans Dec No & DL	From	Entered Date	Entered By	CEWD No. (if any)	Multi Vehicle (if any)
Road	RJMBDA2006	Goleen	20/01/2022 01:05 PM	06AACG71401.1ZG	-	-



311406414275



MSF PVT.

MSF INSIGNIA SEZ PVT. LTD. BILL OF MATERIALS FOR FUTURE CONSTRUCTION

Project Name: MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT
 Bill No: MSF/INSIGNIA/SEZ/2014/001
 Date: 20/01/14

Sl. No.	Part Name	Quantity	Unit	Remarks	Material Code	Material Description	Material Specification	Material Grade	Material Type	Material Status	Material Location
1	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	1	Lot	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF/INSIGNIA/SEZ/2014/001	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT

57
14/10
20/01/14

MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT

Sl. No.	Part Name	Quantity	Unit	Remarks	Material Code	Material Description	Material Specification	Material Grade	Material Type	Material Status	Material Location
1	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	1	Lot	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF/INSIGNIA/SEZ/2014/001	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT	MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT



MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT

MSF INSIGNIA SEZ PVT. LTD. - NEW PLANT

Handwritten signature and initials.

MSF INSIGNIA SEZ PVT. LTD.

FORM 10

[See Rule 19 (1)]

MANIFEST FOR HAZARDOUS AND OTHER WASTE


1.	Sender's name and mailing address (including Phone no. and e-mail)	ASF Insignia SEZ Pvt. Ltd Gurgaon, Faridabad Road, Vill. Gwal Paharti, Teh. Sohna, District Gurgaon (Haryana)			
2.	Sender's Authorisation No.				
3.	Manifest Documents No.	SSOL / HW / 01 / 2021-22 / ASF / / Dt. 23/01/22			
4.	Transporter's name and address: (including Phone No. and e-mail)	M/S. Shiv Shakti Oil & Lubricants F-557 A F-693 (Unit 3) Teh. Alwar, Dist. Alwar			
5.	Type of vehicle	(Truck/Tankers/Special Vehicle)			
6.	Transporter's registration No.	HSPCB / HWM / 07-07-21			
7.	Vehicle registration No.	RJ-4066A 2066			
8.	Receiver's name and mailing address (including Phone No. and e-mail)	SHIV SHAKTI OIL & LUBRICANTS F-557 & F-693 (Unit 3), RICO Industrial Area Chopanki, Post: Tapukara Teh. Tijara, Dist. Alwar - 301707 (Rajasthan) INDIA Ph: +91-9870003339, 9350003339 E: shivshakti_lub07@yahoo.co.in			
9.	Receiver's Authorisation No.	RSPCB / HWM / 2018-2019 / HSW / HSW / 21 RSPCB / HWM / 2018-2019 / HSW / HSW / 106 (Unit 3) X			
10.	Waste description	Used Lube Oil, Used Cutting Coolant Oil (Cat. 5.1) ✓ Used Hydraulic Oil, Used Transformer Oil (Cat. 5.2) X Waste or Residues Containing Oil Containers/Barrels/Drums Contaminated with Hazardous Chemicals/ Waste (Cat. 33.1) (Unit-3) X Hazardous Waste			
11.	Total quantity No. of Containers	2870 (17) m ³ or MT 13 Drums Nos.			
12.	Physical form	(Solid/Semi-Solid/Sludge) OILY / Tarry / Slurry / Liquid			
13.	Special handling instructions and additional information : (Handle with Care)	Disposed/ sale as per Precautions/ Rules of Central Pollution Control Board/ MOEF/ SPCB to the Authorized Reg. Re-recycler/ Re-reprocessor			
14.	Sender's Certificate	I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are categorised, packed, marked, and labelled and are in all respects in proper condition for transport by road according to applicable national government regulations.			
	Name & stamp:	Signature	Month 01	Day 28	Year 2022
15.	Transporter acknowledgement of receipt of Wastes	SHIV SHAKTI OIL & LUBRICANTS			
	Name & stamp:	Signature	Month 01	Day 28	Year 2022
16.	Receiver's certification for receipt of hazardous and other waste	SHIV SHAKTI OIL & LUBRICANTS			
	Name & stamp:	Signature	Month 01	Day 28	Year 2022

COPY 1 of 7


White Copy


To be forwarded by the sender to the State Pollution Control Board

Photograph of sanitation facilities



Photograph of sanitation facilities





Photograph of AAC Blocks

